

SECTION 726 BEDDING MATERIAL

MATERIAL		REF.	PURP.	SAMPLED BY	MIN. FREQ.	MIN. QUANT.	CERT.	SMALL QUANTITY	TYPICAL HANDLING TIME	REMARKS
		TESTED BY		METHOD		CONTAINER	DISTR.			
AGGREGATES	Bedding Material	726.02 1003.01 1003.08 Dist. Lab	Accept.	Proj. Engr. S 101	1/1000 yd ³ / stockpile*	1 full sample sack	-----	50 yd ³	4 days	(QPL 2 for stone, expanded clay, gravel and slag) *Each ingredient may be sampled and approved prior to mixing. Recycled PCC must be from an approved source.
GEOTEXTILE FABRIC		726.02 1019.01 Mat. Lab	Prelim. Source Approval	Dist. Lab S 614	1/type/lot/ source/ shipment	3 lin ft/roll width of fabric*	-----	-----	10 days	*Sample a minimum of 18 ft ² .
		726.02 1019.01 Mat. Lab	Accept.	Proj. Engr. S 601	1/type/ source/ shipment	3 lin ft/roll width of fabric*	CD** 1 & 7	150 yd ²	10 days	(QPL 61) *Sample a minimum of 18 ft ² . **Sample when not accompanied by CD or questionable.
PLASTIC SOIL BLANKET		726.02 203.10 Dist. Lab	Accept.	Proj. Engr. S 401	1/1000 yd ³ **	1 full sample sack/sample	-----	300 yd ³	10 days	*Not required if tested and approved as required excavation or borrow material.

I-111

8/02