Submitted To: Louisiana Department of Transportation and Development

EMER. VEHICL

SINGLE AXLE

TANDEM

GROSS

WEIGHT LIMI

15 T

201

251



Qualifications Statement IDIQ Contract for Bridge Load Rating Services, Statewide

Contract Nos. 4400027650, 4400027651 and 4400027652

Submitted By:



4545 Sherwood Common Boulevard, Building 3, Suite A | Baton Rouge, LA 70816



4545 Sherwood Common Blvd.T 225.216.7483Building 3, Suite ATRCcompanies.comBaton Rouge, LA 70816TRCcompanies.com

September 12, 2023

Department of Transportation and Development Attn.: Project Evaluation Team (PET) Consultant Contract Services 1201 Capitol Access Road, Room 405-E Baton Rouge, LA 70802-4438

Re: Professional Engineering and Related Services IDIQ Contract for Bridge Load Rating, Statewide Contract Nos. 4400027650, 4400027651 and 4400027652

Dear Project Evaluation Team Members,

TRC Engineers, Inc. (TRC) is pleased to submit our *Qualifications Statement* on DOTD Form 24-102 for consideration of providing the needed engineering and related services for the above-referenced contract. Highlights of our qualifications to deliver all work under this contract to the complete satisfaction of the LA DOTD include the following:

- Accomplished Project Manager with more that 39 years of bridge-related engineering experience who has led the load rating of numerous off-system and on-system bridges of varying complexity for the LA DOTD. He is a 17-year veteran of TRC and has a clear understanding of your needs and expectations.
- Well-staffed Baton Rouge office which has delivered challenging and complex projects for the LA DOTD over the past 18 years, including bridge load rating assignments. The majority, if not all, of the work required under this contract will be performed right here in Louisiana.
- In-depth experience with the LA DOTD's ProjectWise and AssetWise sites, along with the Load and Resistance Factor Design (LRFD) method, AASHTOWare BrR/BrD software, and complex FEM modeling and analysis software such as midas Civil, STAAD, LUSAS and Bentley RM Bridge.
- Demonstrated success with the management of several **previous LA DOTD IDIQ retainer contracts**, including **statewide bridge load rating** work.

TRC is highly appreciative of your review and consideration of our team's credentials and looks forward to your decision.

Sincerely,

unk 24 Thone

Durk H. Krone, P.E. Principal / Project Manager

(Revised January 1, 2023)

DOTD FORM: 24-102 PROPOSAL TO PROVIDE CONSULTANT SERVICES

Prime consultant shall complete the DOTD Form 24-102 without altering the Form's text; however, the instruction and/or guidance for Sections 12 through 24 can be removed but do not remove Section title and number.

ANY CONSULTANT FAILING TO SUBMIT ANY OF THE INFORMATION REQUIRED ON THE DOTD FORM 24-102, OR PROVIDING INACCURATE INFORMATION ON THE DOTD FORM 24-102, MAY BE CONSIDERED NON-RESPONSIVE.

1.	Contract title as shown in the advertisement	IDIQ Contract for Bridge Load Rating, Statewide
2.	Contract number(s) as shown in the advertisement	4400027650, 4400027651, 4400027652
3.	State Project Number(s), if shown in the advertisement	N/A
4.	Prime consultant name (name must match as registered with the Louisiana Secretary of State where such registration is required by law)	TRC Engineers, Inc.
5.	Prime consultant license number (as registered with the Louisiana Professional Engineering and Land Surveying Board (LAPELS) if registration is required under Louisiana law)	License # EF.0003249
6.	Prime consultant mailing address	4545 Sherwood Common Blvd., Building 3, Suite A Baton Rouge, LA 70816
7.	Prime consultant physical address (existing or to be established, if location is used as an evaluation criteria)	See Item 6 above
8.	Name, title, phone number, and email address of prime consultant's contract point of contact	Durk Krone, PE, Vice President (225) 229-2968 e-mail: <u>dkrone@trccompanies.com</u>
9.	Name, title, phone number, and email address of the official with signing authority for this proposal	Durk Krone, PE, Vice President (225) 229-2968 e-mail: <u>dkrone@trccompanies.com</u>

Prime consultant should enter firm name in the footer at the bottom of this page. (It will carry over to subsequent pages.)

10. This is to certify that all information contained herein is accurate and true, and that the team	
presently has sufficient staff to perform these services within the designated time frame. By	
submitting this proposal, proposer certifies that it is not engaged in a boycott of Israel and it	
will, for the duration of its contract obligations, refrain from a boycott of Israel. Proposer also	Durk H Thone
certifies and agrees that the following information is correct: In preparing its response, the	The A pone
proposer has considered all proposals submitted from qualified, potential subcontractors and	Lunder
suppliers, and has not, in the solicitation, selection, or commercial treatment of any	Signature above shall be the same person listed
subcontractor or supplier, refused to transact or terminated business activities, or taken other	in Section 9:
actions intended to limit commercial relations, with a person or entity that is engaging in	
commercial transactions in Israel or Israeli-controlled territories, with the specific intent to	
accomplish a boycott or divestment of Israel. The proposer also has not retaliated against any	September 12, 2023
person or other entity for reporting such refusal, termination, or commercially limiting actions.	Date:
DOTD reserves the right to reject the response of the bidder or proposer if this certification is	
subsequently determined to be false, and to terminate any contract awarded based on such a	
false response.	
11. If a Disadvantaged Business Enterprise (DBE) goal has been set for this	Firm(s)':%:
advertisement, indicate which firm(s) will be used to meet the DBE goal $\frac{\text{Firm(s)}}{\text{N/A}}$	$\frac{\text{FIIII(S)}.70.}{\text{N/A}}$
and each firm(s)' percentage.	

<u>12. Past Performance Evaluation Discipline Table:</u>


Past Performance Evaluation Discipline(s)	% of Overall Contract	TRC					Each Discipline must total to 100%
Bridge	100%	100%					100%
Identify the percentage of work for the overall contract to be performed by the prime consultant and each sub-consultant.							
Percent of Contract	100%	100%					

13. Firm Size:

Firm name	DOTD Job Classification	Number of personnel committed to this contract	Total number of personnel available in this DOTD Job Classification (if needed)
	Principal	1	3
	Supervisor - Engineer	7	9
	Supervisor - Other	1	1
TDC Engineers Inc	Engineer	8	21
TRC Engineers, Inc.	CADD Technician	2	7
	Administrative	1	4
	Engineer - Other	0	34
	Inspector - Bridge	4	20



14. Organizational Chart:





15. Minimum Personnel Requirements:

MPR No. Do not insert wording from ad	Personnel being used to meet the MPR (Individual(s) may not satisfy more than one MPR unless specifically allowed by Attachment B of the advertisement)	Firm employed by	Type of license and discipline meeting MPR/ certification & number (Ex: PE # - Civil)	State of license	License / certification expiration date
1	Durk Krone, PE		PE - #PE.0031955 – Civil	LA	3/31/2024
2	Durk Krone, PE		PE - #PE.0031955 – Civil	LA	3/31/2024
2	Durk Krone, PE		PE - #PE.0031955 - Civil	LA	3/31/2024
3	Michael Paul, PE		PE - #PE.0032172 - Civil	LA	3/31/2024
4	Xianzhi "Sage" Liu, PE Michael Paul, PE Curtis Wood, PhD, PE	TRC Engineers	PE - #PE.0034727 - Civil PE - #PE.0032172 - Civil PE - #PE.0046293 - Civil	LA LA LA	9/30/2023 3/31/2024 3/31/2024
	Xianzhi "Sage" Liu, PE		PE - #PE.0034727 - Civil	LA	9/30/2023
	Dong Wang, PhD, PE		PE - #PE.0042845 - Civil	LA	3/31/2025
5	Mark Castay, PE		PE - #PE.0039430 – Civil	LA	9/30/2023
5	Denny Dispennette, PE		PE - #PE.0044141 – Civil	LA	3/31/2024
	Nichole Caiazzo, PE		PE - #PE.0041078 – Civil	LA	3/31/2025
	Amanda Blankenship, PE		PE - #PE.0047680 - Civil	LA	9/30/2025





Firm employed by	TRC Engineers, I	nc.					
Name Durk Kr	rone, P.E.			Years of experience with this employer	18		
Title Vice Pres	sident			Years of experience with other employer(s)	21		
Degree(s) / Years	/ Specialization			. / 1984 / Civil Engineering / 1982 / Civil Engineering			
Active registration	n number / state / exp	iration date	#PE.	.0031955 / LA / 3-31-24			
Year registered	2005	Discipline	Civil	l Engineering			
				Other Pertinent Training / Certifications LADOTD Maintenance & Rehabilitation of Historic Bridges Training Course, 2016 FHWA / NHI #130055 - Safety Inspection of In-Service Bridges, 1999 FHWA / NHI #130053 – Bridge Inspection Refresher Training, 2021 FHWA / NHI #130078 – Fracture Critical Inspection Techniques for Steel Bridges, 2007 FHWA / NHI #130092 – Fundamentals of LRFR, 2015			
Contract role(s) / 1	brief description of re	esponsibilities	MPI	Rs #1, #2, #3 - Principal-in-Charge/Project Manager			
Experience dates	Experience and qua	lifications rele	vant to	the proposed contract; <i>i.e.</i> , "designed drainage", "designed gi	rders", "designed		
(mm/yy–mm/yy)				ld cover the years of experience specified in the applicable MF			
04/23 - 06/23	two timber bridges (Su	perstructure and s	substruct	Parish, LA (Private Client) – Principal-in-charge/Project Manager for the ture) for an access road for vehicles accessing the oil field to remove oil fr l a QA/QC review of the load ratings.			
04/16 - 12/19	Contract No. 440000 directing the load rating included: Plan and Doo Civil, STAAD, and LU where appropriate and	4920 (H.009859. gs and inspections cument Retrieval a (SAS models) of; provisions in the	5) Com of com and Rev Load Ra Curren	uplex Load Rating and Inspection, Statewide, LA (DOTD) – Princip uplex bridges that included complex trusses and movable (vertical lift, base iew; Bridge Inspections; Structural Modeling and Analysis (utilizing AASH ating of each assigned bridge based on present condition, capacity and loadin at AASHTO <i>Manual for Bridge Evaluation</i> and DOTD <i>Policies and Guid</i>	cule, swing) bridges. Services ITOWare BrR, BrDR, MIDAS ng using <u>AASHTOWare BrR</u>		
10/19 - 01/21	Evaluation; Peer Review Ratings and other reviews of ratings performed by three sub-consultants. Contract No. H.012485.1 Off-system Load Rating, Statewide, LA (DOTD) – Principal-in-Charge/Project Manager responsible for the assessment and load rating of 426 off-system bridges (COSLAB, COPCSS, steel and concrete girders, railroad flat cars, culverts). He managed two engineering substand five teams of TRC load raters. Services included: Plan and Document Retrieval and Review; Bridge Inspections; Structural Modeling and Analysis Load Rating of each assigned bridge based on present condition. The load ratings were performed using the current LADOTD BDEM, AASHTO MBE and DOTD Policies and Guidelines for Bridge Rating and Evaluation. He ensured the project was completed under budget and on an expedited schedule						
03/18 - 05/18	Contract No. 4400010099 (H.009859.5), Complex Off-system Bridge Rating and Evaluation, Statewide, LA (DOTD) – As subconsultant, Principal- in Charge/Project Manager for the inspection and load rating of an off system trues bridge over the Tensos Piver Services completed included Plan and						
09/17 – 06/18	Office of State Aid and to provide 160 off-syste MBE. Services includ participated in a number	d Construction, I em routine bridg ed: Plan and Doc er of the field ins	Bridge I e inspectument R pections	nspection and Off-system Load Rating Contract, Statewide, MS - Princi tions and load ratings in accordance with the National Bridge Inspection St Retrieval and Review; Bridge Inspection; Structural Modeling and Analysis and managed and performed QA/QC on the inspection and load rating re t was delivered on schedule and under budget .	tandards (NBIS) and AASHTO s; and Repairs. He personally		

05/15 - 11/15	Contract No. 4400002791 (H.003495 & H.011111), I-49 & I-220 Interchange, Caddo Parish, LA (DOTD) – Principal-in-Charge/Project Manager responsible for the <u>AASHTOWare BrR as-designed and as-constructed load ratings</u> , that included the 3D models for the Segmental alternate for both
	transverse analysis and longitudinal analysis using LUSAS and Bentley RM Bridge for I-49 over MLK Bridge and QA/QC of load rating reports.
02/21 - 12/21	Broadmore Bridge Assessment and Special Haul Load Rating, Lake Arthur, LA (Private Client) – Principal-in-Charge/Project Manager responsible for performing the load rating and assessment of an off-system concrete slab bridge for special hauling vehicles. Performed QA/QC for the pre- & post-inspection reports with load ratings and special haul vehicle movement recommendations.
03/15 - 12/22	Walter O. Bigby Carriageway, Bossier City, LA (Bossier Parish) – Project Principal for design of the North Parkway Extension from North of Eatman Street to Benton Highway. The project follows the existing roadway for a portion of the alignment, then continues northward on new alignment between the Red River Levee and Union Pacific Railroad, crosses existing tracks with a new bridge structure (1,550' long consisting of a horizontally curved, haunched 4-span (185'-225'-300'-225') steel plate I-girder main span continuous unit with BT-72 prestressed concrete girder approach spans) using the LA Specs for Roads and Bridges, LA DOTD BDEM, and AASHTO MBE. Principal-in-Charge responsible for the load rating of steel girder spans, a load rating report, and <u>OA/QC of the load ratings</u> .
11/14 - 12/14	Bayou Choctaw SPR Bridge Inspections and Load Ratings, Iberville Parish, LA (Dept. of Energy) – Project Manager responsible for the <u>off-system</u> load rating and routine inspections of a M2 Bailey truss bridge, timber bridge, and two concrete girder bridges. He determined the bridge conditions that affected the load ratings and performed QC/QA of the inspection and load rating reports.
$\begin{array}{c} 03/14-06/14;\\ 07/10-11/10\end{array}$	Kanawha Falls Steel Truss Bridge Rating, Kanawha Falls, WV (WVDOH) – Task leader for the inspection, rehabilitation and load rating for this 985' steel truss bridge. Performed <u>QC for the load rating analysis</u> using STAAD and RISA and a 3-D model analysis for final design of the truss rehabilitation. Reviewed inspection reports and rating calculations based on the latest MBE.
12/10-12/22	S.P. No.: H.001234, LA 1 Port Allen Canal Bridge Replacement, West Baton Rouge Parish, LA (DOTD) – Principal-in-charge/Project Manager for development of two different bridge detour alignments. Each consisted of a 2,500' detour bridge over the Intracoastal Waterway using a proprietary Acrow system. Project Manager for a feasibility study that investigated three bridge rehabilitation options and one bridge replacement option for the existing twin bridges that carry LA 1 over the ICWW. Study included the development of new roadway alignment options, construction phasing, traffic control schematics, investigating rehabilitation options for the existing bridge, and preliminary design of a new bridge option using ABC delivery techniques.
03/17 - 12/22	S.P. No. 44-17264; H.011965.5, LA 47 over IWGO Rehabilitation, New Orleans, LA (DOTD) - Project Principal for structural rehabilitation, cleaning and painting of this historic bridge (1,248 feet of steel main spans with cantilevered arms and tied-arch). Preliminary and final plans addressed the repair and rehabilitation of all substructure and superstructure elements using LA Specs for Roads and Bridges, LA DOTD BDEM, and AASHTO MBE. A preliminary jacking analysis and repair scheme for the tied-arch tie girder (chord) repairs was provided. Team Leader during a bridge inspection in advance of the design. He also provided QA/QC reviews of the inspection and 3D scanning reports. Serving as Principal for ongoing Construction Support Services.
06/06-10/18	S.P. No.: H.003886.5, I-49 & I-220 Interchange - Shreveport, Caddo Parish, LA (DOTD) – Principal-in-charge/Project Manager on this new, multi- lane divided roadway, 4-level interchange project. Project was completed on an accelerated schedule and involved his management of five design teams to complete the work. Reviewed conceptual and structural designs and worked with the roadway design consultant to develop span arrangements, structure depths, pier concepts and roadway geometry for a dual bridge design that included post-tensioned segmental concrete and steel box girder superstructures using LA Specs for Roads and Bridges, LA DOTD BDEM, and AASHTO MBE. The project consisted of five new bridges and two bridge widenings.
03/20 - 12/22	S.P. No.: H.005121, LA1/LA415 Connector, West Baton Rouge Parish, LA (LADOTD) – Principal-in-Charge/Project Manager for the Stage 3 design of a new connector between LA 1 near LA 988 (Beaulieu Lane) and I-10 at the LA 415 interchange. The project, which is approximately 2.7 miles in length, includes a new four-lane roadway and two (2) two-lane bridges over the Gulf Intracoastal Waterway with modifications to the access management at LA 1 ramp bridges that tie in at the I-10 ramps at LA 415.



Firm employed by TRC Engineers, Inc.								
Name David D	eLeeuw, P.E.			Years of experience with this employer	11			
Title Senior Pr	roject Manager			Years of experience with other employer(s)	30			
Degree(s) / Years	/ Specialization			/ 1981 / Civil Engineering / 1979 / Civil Engineering				
Active registration	n number / state / expi	ration date	#PE.	.0038327 / LA / 3-31-2024				
Year registered	2013	Discipline	Civi	l Engineering				
Contract role(s) / l	brief description of re	sponsibilities	QA/	QC Task Manager				
Experience dates				the proposed contract; <i>i.e.</i> , "designed drainage", "designed gir				
(mm/yy–mm/yy)	intersection", etc. Ex	xperience dates	shou	ld cover the years of experience specified in the applicable MP	R(s).			
01/20 - 11/20	bridges to include steel	girder, railcar, C	OSLA	ating, Statewide, LA (DOTD) – Served as project <u>QA Manager</u> for the B and COPCSS bridges. He ensured that deliverables conformed to DOTE t was completed on-time and under budget at an accelerated schedule.				
09/17 - 06/18	system bridge routine br Inspection Standards (N	ridge inspections a (BIS) and AASHT	and loa O MB	Inspection and Off-system Load Rating Contract – Project Manager during ad ratings (concrete and timber superstructures and substructure) in accorda E. He provided OA on all project deliverables , inspection reports and load the project was delivered on schedule and under budget.	ance with the National Bridge			
04/16 - 03/20	inspections of complex Bayou (swing), LA 654	bridges to include over Bayou LaFo e at Adeline (swin	e truss urche (g), and	lex Load Rating and Inspection, Statewide, LA (DOTD) – Project <u>QC/QA</u> es and movable bridges : Intracoastal Waterway Bridge at Ellenders (ver vertical lift), Local Road over Bayou Terrebonne (swing), LA 657 over Bay I LA 319 Intracoastal Canal Bridge (bascule). He ensured that deliverables co Plan.	tical lift), LA 83 over Patout you LaFourche (vertical lift),			
07/15 – 04/17 Tennessee Department of Transportation Engineer for the construction management emergency repairs to critical structural cra March 2016. Additional cracks were disco				epair of the Bridge on I-40 over the Mississippi River, Memphis, TN inspection of this repair work. Construction began in the summer of 2015 was completed in February 2016 while the rehab/repair of a modular expa l in the eastern most 13 spans of the mainline. Repairs and other measures January 2017 and completed all repairs by April 2017, including the rem 7 million.	5. The initial work, including insion joint was completed in s were developed jointly with			
06/13 - 07/16	H.003886.5, I-49 North – Segment K (I-220 to MLK Drive), Caddo Parish, LA (DOTD) - Lead QA Officer for all bridge design work, preparation of bridge plans, and specifications on this project. He led a QA Review on all eight (8) sets of plans at the 60% and 95% submittal stages, while a certificate of compliance with the QC/QA Program was furnished at the 100% submittal stage. The project included three (3) new ramp structures (2 alternate designs for each – Steel Box Girder and Segmental Concrete Box Girder), new twin bridges carrying I-49 over Martin Luther King Drive, and the widening of twin bridges carrying I-220 over Russell Road, the I-49/I-220 interchange bridges, specifically the ramps EN, SE, and WN, under an accelerated project schedule. The design was in accordance with the AASHTO LRFD Bridge Design Specifications (5th Edition) and LA DOTD standards.							
06/11 - 05/16	Resident Engineer for th	ne seismic retrofit	of the	terstate 40 Mississippi River Bridge, Ramps and Project I-2 (Phase 8) ramps and Project I-2. Retrofit work included abutment, footing, column, veral bents and large modular joints were installed at a few locations in the	bent cap and bearing retrofit.			

07/11 - 08/15	Tennessee Department of Transportation, Interstate 40 Mississippi River Relief Bridges, Group C and D (Phase 9), Crittenden County, AR - Served as Assistant Resident Engineer for a seismic retrofit of the Group C and D structures located in Arkansas. Group C was the seismic retrofit of an existing P/S I-girder relief bridge consisting of 16 spans with an expansion joint at Pier W12 and Pier W21. Group D was a seismic retrofit of an existing welded plate girder relief bridge consisting of 7 spans. Construction cost was \$46.5 million.
01/07 – 12/09	East Metro Corridor Commission, East Metro Corridor, Rankin County, MS - Managed all phases of work by other consultants for a new 3-mile, divided limited-access highway linking Interstate 20 to SR 25 in Rankin County. He also <u>managed the QA services</u> that were conducted for all bridge and roadway design work. The new route also provided economic development opportunities for the Jackson International Airport. Phases of work that he managed on behalf of the Commission (consisting of 3 mayors and the airport authority) included environmental clearance, design, right-of-way acquisition, and construction management and inspection.
01/97 – 12/98	I-55 Widening - DeSoto County, MS (MDOT) - Managed and performed the bridge design for widening I-55 from 4 lanes to 6, 8, and 10 lanes. He served as overall Project Manager and <u>QA Manager of Design</u> , as well as supervised all roadway design efforts by a sub-consultant. Work also included the preparation of construction details for the first noise walls ever constructed in MS.
01/97 – 12/97	Single Point Urban Interchange: I-55/S.R. 463, Madison, MS (MDOT) - Managed the design for a reconstruction of the I-55 and S.R. 463 interchange. He was responsible for the complete roadway design, bridge type selection and design, retaining wall design, and <u>Quality Assurance of all design on the</u> <u>project</u> . A traditional diamond interchange was replaced with a new underpass single-point urban interchange (SPUI).
06/85 - 01/90	I-55, I-20, U.S. 49 Interchange Rehabilitation, Jackson, MS (MDOT) - Managed the complete rehabilitation design for major urban interchanges (I-55, I-20 and U.S. 49) in downtown Jackson. He served as the lead <u>OA Manager of Design</u> . The project involved reconstruction, widening or new construction of more than 15 miles of mainline roadway, ramps, and collector/distributor roads and 27 bridges, including 10 new structures. Mr. DeLeeuw supervised all bridge design efforts and the development of traffic control plans for the replacement, under traffic, of all existing pavement with new concrete pavement. He also served as lead design engineer for all continuous, curved steel-plate girders.



Firm employed by TRC Engineers, Inc.								
Name Michael	Paul, P.E.			Years of experience with this employer	15			
Title Project N	Manager/Senior Bridg	ge Engineer		Years of experience with other employer(s)	6			
Degree(s) / Years	/ Specialization			. / 2003 / Civil Engineering				
				/ 2000 /Civil Engineering				
	n number / state / exp			.0032172 / LA / 3-31-2024				
Year registered	2006	Discipline		l Engineering				
				r Pertinent Training / Certifications				
				A/NHI #130055 - Safety Inspection of In-Service Bridges, 2007 A/NHI #130078 – Fracture Critical Inspection Techniques, 2015				
				A/NHI #130092 - Fundamentals of LRFR for Bridge Superstructures, 201	5			
Contract role(s) /	brief description of re	esponsibilities		R #3 and #4 – Load Rater				
Experience dates				the proposed contract; <i>i.e.</i> , "designed drainage", "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed drainage", "designed gives a state of the proposed contract; <i>i.e.</i> , "designed drainage", "designed gives a state of the proposed contract; <i>i.e.</i> , "designed drainage", "designed gives a state of the proposed contract; <i>i.e.</i> , "designed drainage", "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed drainage", "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the proposed contract; <i>i.e.</i> , "designed gives a state of the pr	irders", "designed			
(mm/yy–mm/yy)	intersection", etc. E	Experience dates	shou	Ild cover the years of experience specified in the applicable MI	PR(s).			
	Contract No. 4400004920 (H.009859.5), Complex Load Rating and Inspection, Statewide, LA (DOTD) – Engineer responsible for load rating for the							
05/16-02/18	Bayou Teche swing bridge. Performed AASHTOWare BrR model and load rating of the floorbeams and stringers. He used Midas and hand calculations							
	 to analyze the main girders, main girder splices, pivot girder, bent caps and metal grid decking. Walter O. Bigby Carriageway, Bossier City, LA - Bridge Task Leader for the design of a new bridge that will be 1,520' long and consist of a horizontally 							
	curved, haunched steel plate I-girder main span continuous unit over the Union Pacific Railroad and BT-72 prestressed concrete girder approach spans.							
06/15-12/22	Prepared the load rating report and checked the load rating of pile bents. The bridge substructures will consist of reinforced concrete piers and deep							
	prestressed precast concrete pile foundations. As the bridge is located adjacent to the Bossier Levee, he led the coordination effort with the US Army Corps							
11/14-12/14	of Engineers to develop the 408 permit. Project manager for the construction related services (RFIs, submittals, etc.) during construction.							
11/14-12/14	Department of Energy Bridge Inspections and Load Ratings, Bayou Choctaw, Plaquemine, LA – Project Engineer conducting bridge load rating using the AASHTO Manual for Bridge Evaluation with LRFR methodology. The bridge crosses the East-West Canal and is an 84' single span							
	prestressed concrete girder superstructure consisting of a three girder cross section.							
	West Virginia Division of Highways, CR 13 Kanawha Falls Steel Truss Load Rating & Rehabilitation - Bridge engineer for the load rating and							
09/10-04/11	rehabilitation study of this historic steel truss bridge. Conducted load rating calculations and QC checks of the rating calculations. The bridge superstructure consists of three simple span trusses (260'-400'-260') and one simple span plate girder.							
				ses (260'-400'-260') and one simple span plate girder. Interchange, Caddo Parish, LA (DOTD) - Project Manager, Design Coord	dinator and Baton Pouge Team			
				4-level interchange project. All design was performed in accordance with 1				
	was on an accelerated schedule and involved 5 design teams to complete the work. He served as conceptual and structural designer for a dual design of							
				teel box girder superstructures, and was involved with the developme				
07/06-11/15				C Management Plan, and coordination with the team's architect to develop at DEN 3,070', Ramp SE 3,300', Ramp WN 700', I-49 NB and SB over MLK				
07/00-11/13). Ramp EN, SE and WN bridges consisted of a dual design with prec .				
				erstructure alternates. The I-49 over MLK Drive bridges consisted of BT-				
	and cast-in-place concr	ete substructures. T	he I-2	20 over Russell Rd. bridges consist of steel plate girders and cast-in-place	concrete substructures. Bridge			
		or developing and j	perform	ning the AASHTOWare BrR load rating for the Ramp EN CIP concret	te post-tensioned box girder at			
	Span 1							

06/21-Present	S.P. No. 44-17264; H.011965.5, LA 47 over IWGO Rehabilitation, New Orleans, LA (DOTD) - Project Manager for structural rehabilitation, cleaning and painting of this historic bridge (1,248 feet of steel main spans with cantilevered arms and tied-arch). Led and performed the development of final plans for the repair and rehabilitation of all substructure and superstructure elements using LA Specs for Roads and Bridges, LA DOTD BDEM, and AASHTO MBE. Led the bridge inspection in advance of final design. Directed sub-consultants for 3D surveying, truss design, traffic management and control plans. Project manager for the ongoing Construction Related Services for contractor RFIs, submittals, and construction matters.
08/22-Present	Mississippi Department of Transportation, S.P. No. BR-0331-00(013)/107851-301000, SR 481 over Yellow Bill Creek, Smith County, MS – Project Manager for the development of final bridge plans for a bridge replacement project. The proposed bridge consists of three 60' simple spans The superstructure consists of concrete deck on MFIB25 PPC concrete girders while the substructure consists of steel HP14x89 pile bents.
03/20-12/22	S.P. No.: H.005121, LA1/LA415 Connector, West Baton Rouge Parish, LA (LADOTD) – Project Manager for the Stage 3 design of a new connector between LA 1 near LA 988 (Beaulieu Lane) and I-10 at the LA 415 interchange. The project, which is approximately 2.7 miles in length, includes a new four-lane roadway and two (2), two-lane bridges over the Gulf Intracoastal Waterway. Includes modifications to the access management at the LA 1 ramp bridges tie-in at the I-10 ramps at LA 415 using LA Specs for Roads and Bridges, LA DOTD BDEM, and AASHTO MBE.
08/12-06/13	S.P. No.: H.002562, Bayou La Loutre Bridge Rehabilitation, St. Bernard Parish, LA (DOTD) – Bridge engineer for design and conceptual development of the fender and pier protection system for this vertical lift bridge.
06/11-06/12	S.P. No. 700-24-0031, US 190 over Mississippi River, Bridge Rehabilitation, Baton Rouge, LA (DOTD) – Bridge Inspector for a special inspection of this 12,200-foot-long bridge with a five-span cantilever steel truss. Mr. Paul led the truss inspection. The inspection involved the use of special access equipment such as manlifts and climbing. Mr. Paul reviewed existing plans and drawings, inspected and assessed deteriorated structures, and developed repair locations, repair schemes and details.
12/10-12/22	S.P. No.: H.001234.5, LA 1 Port Allen Canal Bridge Replacement, Port Allen, LA (DOTD) - Rehabilitation Study - Lead engineer for a Stage 0 Feasibility Study involving three different bridge rehabilitation options and one bridge replacement option for existing twin bridges that carry LA 1 over the Intracoastal Waterway. He developed new roadway alignment options, construction phasing, and traffic control schematics, and investigated rehabilitation options for the existing bridge and preliminary design of a new bridge option. Rehabilitation and replacement options investigated and proposed the use of Accelerated Bridge Construction techniques. Preliminary & Final Design – Project Manager for the development of Stage 3 preliminary (bridge and roadway) and final design (roadway only) plans which included roadway, traffic control, maintenance of traffic, ITS, traffic signal, MSE wall, highway lighting and bridge plans. Coordinated with UPRR, US Army Corps of Engineers, USCG, and Port of Baton Rouge. A traffic analysis (Level 3 TMP) was conducted. The project included a 1.5-mile "superstreet" portion with signalized and unsignalized J-turns. Project manager for the construction related services (RFIs, submittals, etc.) during construction.
2010-2011	S.P. No.: 008-02-0034 & 008-003-0060, Left Turn Lanes at US-190 Bridge Replacement, Pointe Coupee Parish, LA (DOTD) - Structural engineer for this 285', 3-span continuous prestressed concrete girder bridge on prestressed concrete pile trestles. Mr. Paul developed a phased construction schematic for the roadway to remain open to traffic during demolition of the existing bridge and construction of the new bridge, designed the superstructure and substructure members, and prepared the construction documents.
2010	S.P. No.: H.000101, Union Pacific R/R Overpass near Greenwood, Caddo Parish, LA (DOTD) - Structural engineer for the design of a 3-span continuous steel girder bridge on highly skewed supports. Mr. Paul served as designer and QC checker for design of the steel girders, diaphragms and bearing pads, and assisted in preparing the construction documents.



Firm employed by	TRC Engineers,	Inc.					
Name Xianzhi	("Sage") Liu, P.E.			Years of experience with this employer	13		
	l Engineer			Years of experience with other employer(s)	5		
Degree(s) / Years	/ Specialization	N B	Л.S. 3.S. /	/ 2003 / Civil Engineering; M.S. / 1999 / Coastal Engineering / 1996 / Civil Engineering			
Active registration	n number / state / exp	piration date #	PE.	0034727 / LA / 9-30-2023			
Year registered	2009			Engineering			
				t #4 and #5 - Load Rating Technical Lead			
Experience dates				the proposed contract; i.e., "designed drainage", "designed gird			
(mm/yy–mm/yy)				d cover the years of experience specified in the applicable MPF			
04/23-05/23				QC of load rating with <u>AASHTOWare BrR</u> and midas Civil on six brick, voided concrete box beams, and concrete arch culvert.	lges of different types. The		
08/21 - 02/22	S.P. No. 44-17264; H. and painting of this his rehabilitation of super- inspection in advance of	011965.5, LA 47 ove storic bridge (1,248 fe structure truss elemen of design.	er IW et of its us	GO Rehabilitation, New Orleans, LA (DOTD) – Design engineering fo steel main spans with cantilevered arms and tied-arch). Developed final pl ing LA Specs for Roads and Bridges, LA DOTD BDEM, and AASHTO	ans to address the repair and MBE. Assisted with a truss		
02/21 - 04/21		ff-system concrete sla		Il Load Rating, Lake Arthur, LA (Private Client) - Technical lead respon- idge used for special hauling vehicles. Work was completed using current			
04/20 - 12/20	bridges. He performe	d complex load rating developed load rating	g of s g repo	ystem Bridge Load Rating (DOTD) - Technical lead for the load rating of steel bridges without any available plans, completed the QC/QA of load r orts, and proposed repair options for bridges with a posting drop. Work was HTO MBE.	ating for superstructure and		
01/19 - 05/20	Walter O. Bigby Carriageway, Bossier City, LA – Lead structural engineer for superstructure design of the main steel girder spans. He performed design modeling, analysis and plan development for the main continuous steel girder spans with a maximum span length of 300'. He used several software packages, including LUSAS and MDX, for structural analyses and load ratings, along with current LA DOTD BDEM, <u>AASHTO BrR</u> and the AASHTO MBE.						
05/17 - 12/17				ive), Caddo Parish, LA (DOTD) – Lead structural engineer performing as- rrent LA DOTD BDEM, <u>AASHTO BrR</u> and AASHTO MBE.	built load ratings and reports		
04/16 - 03/20	6-03/20 Contract No.: 4400004920 (H.009859.5), Complex Load Rating, Statewide, LA (DOTD) – Lead load rating engineer for superstructure and substructure load rating for multiple complex bridges . Included the LA1 truss bridge over Atchafalaya river, LA47 IWGO tied arch truss bridge , US 90F Riverbound Expressway deck truss bridge and several movable bridges - Intracoastal Waterway Bridge at Ellenders (vertical lift), LA 654 over Bayou LaFourche (vertical lift), LA 657 over Bayou LaFourche (vertical lift), LA 319 Intracoastal Canal Bridge (bascule), LA 83 over Patout Bayou (swing) Local Road over Bayou Terrebonne (swing), and Bridge over Bayou Teche at Adeline (swing). He performed the assessments and load ratings, and developed load rating reports, which included his leading the efforts to analyze several bridges with unique configurations and high complexities. He used several structural analysis software packages, including LUSAS, MIDAS Civil and <u>AASHTOWare BrR</u> for structural analysis, validations and load ratings which were performed in accordance with the current LA DOTD BDEM, AASHTO BrR and the AASHTO MBE.						
10/16 - 11/17	3rd Street Movable Br	idge Load Rating an	d Rel	habilitation, San Francisco, CA (City of San Francisco) – Lead engineer for USAS software, he performed a detailed 3-D Finite Element analysis of t			

and gusset plate ratings. The analysis was used to identify deficient structure members for rehabilitation. 10/14 - 12/14 calculations and rating reports for the Double-Double Bailey Bridge (steel truss) using current <u>AASHTO BR</u> and AASHTO MBE. He also performed quality control for the load rating of a concrete girder bridge. 03/11 - 06/12 District Nine QA/QC Bridge Inspection and Rating, Fayette, Greenbrier and Nicholas Counties, WV (WVDOH) - Load rating engineer responsible for the load rating engineer for the required rating vehicles and developement of load rating reports for off-system bridges in District Nine, West Virginia. 03/11 - 06/12 District Nine QA/QC Bridge Inspection and Rating, Fayette, Greenbrier and Nicholas Counties, WV (WVDOH) - Load rating engineer responsible for the load rating engineer for the required rating vehicles and developed independent detailed spreadsheets to perform load rating calculations and compared with the Bendley LARS rating. 03/11 - 01/12 S.P. No. 700-24-04/031 - US 190 Mississippi River Bridge Rehabilitation, Baton Rouge, LA (DOTD) - Performed structure analysis for the purpose of rehabilitating this major truss bridge. He led the load rating reports for the both the super-truss and the approach span steel bent towers, evaluated the bridge conditions, and prioritized the bridge repair items. 03/14 - 06/14: G5 steel plate girder spans. He performed QC for load rating analysis using STAAD and RISA, including the review of existing inspection reports. and for final design of the truss rehabilitation. He performed detailed analysis for truss forces under ded loads, live loads, and wind loads. He also performed a accordance with FHWA publications for gusset plate rating, of the truss.	r	
10/14 - 12/14 Department of Energy, Bayou Choctaw Off-system Bridge Inspections, Iberville Parish, LA Load rating engineer for the load rating analysis, or the Double Bailey Bridge (steel truss) using current <u>AASHTO BrR</u> and AASHTO MBE. He also performed quality control for the load rating or a concrete girder bridge. 03/11 - 06/12 District Nine QA/QC Bridge Inspection and Rating, Fayette, Greenbrier and Nicholas Counties, WV (WVDOII) - Load rating engineer responsible for the load rating results using Bentley software packages. Performed in-depth Finite Element analysis using LUSAS software to determine the tructural member force for the required rating vehicles and development of load rating reports for off-system bridges in District Nine, West Virginia. 03/11 - 01/12 S.P. No. 700-24-0031 - US 190 Mississippi River Bridge Rehabilitation, Baton Rouge, LA (DOTD) - Performed structure analysis for the purpose of the bridge conditions, and prioritized the bridge repair items. 03/11 - 01/12 S.P. No. 700-24-0031 - US 190 Mississippi River Bridge Rating, Knawha Falls, WV (WYDOH) - Bridge engineer for a rehabilitation study for this 985' steel truss bridge. And 55' steel plate girder spans. He performed QC for load rating analysis using STAAD and RISA, including the review of existing inspection reports, and 55' steel plate girder spans. He performed QC for load rating analysis using for thus analysis, gusset plate rating, of the truss. For ensus forces under dead loads, live loads, and wind loads. He also performed a concurrent live load analysis for gusset plate rating, of the truss. 03/14 - 06/14; Off-10 - 01/10 Finit Element analysis for gusset plate rating of the truss. 03/14 - 06/14; Off-111		configurations for traffic lanes and sidewalks. He performed structural analysis and generated governing load cases for truss member, floor beam, stringer,
10/14 - 12/14 calculations and rating reports for the Double-Double Bailey Bridge (steel truss) using current <u>AASHTO BrR</u> and AASHTO MBE. He also performed quality control for the load rating of a concrete girder bridge. 03/11 - 06/12 District Nine (QA/QC Bridge Inspection and Rating, Fayette, Greenbrier and Nicholas Counties, WV (WVDOH) - Load rating engineer responsible for the load rating raning rasults, and development of load rating reports for off-system bridges in District Nine, West Virginia. 03/11 - 06/12 He reviewed bridge load rating results, and development of load rating reports for off-system bridges in District Nine, West Virginia. 03/11 - 01/12 S.P. No. 700-24-0031 - US 190 Mississippi River Bridge Rehabilitation, Baton Rouge, LA (DOTD) - Performed structure analysis for the purpose of rehabilitating this major truss bridge. He led the load rating reports for the both the super-truss and the approach span steel bent towers, evaluated the bridge conditions, and prioritized the bridge repair items. 03/14 - 06/14; Kanawha Falls Steel Truss Bridge Rating, Kanawha Falls, WV (WDOH) - Bridge engineer for a rehabilitation study for this 985' steel truss bridge and sing of the truss rehabilitation. He performed detailed analysis for truss forces under deal loads, live loads, and wind loads. He also performed a concurrent live load analysis for guest plate trating of the truss. 08/10 - 05/14 OB McDonald Bridge of L-64 over Clade Creek, Raleigh Connty, WV (WDOH) - Lead structural engineer for the truss analysis, guester plate rating, and bridge monitoring for this structure which is one of the highest dek truss bridges late arting seveloped a rating speedsheet in accordance with FHWA publications for gusset plate rating		
quality control for the load rating of a concrete girder bridge. 03/11 - 06/12 03/11 - 06/12 03/11 - 01/12 03/11 - 01/12 03/11 - 01/12 03/11 - 01/12 03/11 - 01/12 rbs/rbs/rbs/rbs/rbs/rbs/rbs/rbs/rbs/rbs/		Department of Energy, Bayou Choctaw Off-system Bridge Inspections, Iberville Parish, LA. – Load rating engineer for the load rating analysis,
03/11 - 06/12 District Nine QA/QC Bridge Inspection and Rating, Fayette, Greenbrier and Nicholas Counties, WV (WVDOH) - Load rating engineer responsible for the <u>load rating analysis</u> , review of loading rating results, and development of load rating reports for off-system bridges in District Nine, West Virginia. He reviewed bridge load rating results using Bentley software packages. Performed in-depth Finite Element analysis using LUSAS software to determine the structural member force for the required rating vehicles and developed independent detailed spreadsheets to perform load rating calculations and compared with the Bentley LARS rating. 03/11 - 01/12 S.P. No. 700-24-0031 - US 190 Mississippi River Bridge Rehabilitation, Baton Rouge, LA (DOTD) - Performed structure analysis for the purpose of rehabilitating this major truss bridge. He led the <u>load rating reports for the both the super-truss and the approach span steel bent towers</u> , evaluated the bridge conditions, and prioritized the bridge repair items. 03/14 - 06/14; 07/10 - 11/10 Kanawha Falls Steel Truss Bridge Rating, Kanawha Falls, WV (WVDOH) - Bridge engineer for a rehabilitation study for this 985' steel truss bridge and rating calculations for one truss span and one girder span based on the latest Manual for Bridge Evaluation. He led the 3-D Finite Element analysis for final design of the truss rehabilitation. He performed detailed analysis for guester plate rating of the truss. Phill G. MCDonald Bridge of 164 over Glade Creeck, Raleigh County, WV (WVDOH) – Lead structural engineer for the truss analysis, guester plate rating, and bridge monitoring for this structure which is one of the highest deck truss bridges in the world (560'-784'-560' spans). He performed a detailed 3-D Finite Element analysis of the bridge using LUSAS software, generated governing load cases for guesser plate rating, spreadsheet	10/14 - 12/14	calculations and rating reports for the Double-Double Bailey Bridge (steel truss) using current AASHTO BrR and AASHTO MBE. He also performed
 o3/11 - 06/12 for the load rating analysis, review of loading rating results, and development of load rating reports for off-system bridges in District Nine, West Virginia. He reviewed bridge load rating results using Bentley software packages. Performed in-depth Finite Element analysis using LUSAS software to determine the structural member force for the required rating vehicles and developed independent detailed spreadsheets to perform load rating calculations and compared with the Bentley LARS rating. S.P. No. 700-24-0031 – US 190 Mississippi River Bridge Rehabilitation, Baton Rouge, LA (DOTD) - Performed structure analysis for the purpose of rehabilitating this major truss bridge. He led the load rating reports for the both the super-truss and the approach span steel bent towers, evaluated the bridge repair items. No. 700-24-0031 – US Bridge Rating, Kanawha Falls, WV (WVDOH) – Bridge engineer for a rehabilitation study for this 985' steel truss bridge and rating calculations for one truss span and one girder span based on the latest Manual for Bridge Evaluation. He led the 3-D Finite Element analysis and rating calculations for one truss span and one girder span based on the latest Manual for Bridge Evaluation. He led the 3-D Finite Element analysis for frand design of the truss rehabilitation. He performed detailed analysis for truss forces under dead loads, live loads, and wind loads. He also performed a concurrent live load analysis of gueset plate rating of the truss. Phill G. McDonald Bridge of 1-64 over Glade Creek, Rateigh County, WV (WVDOH) – Lead structural engineer for the truss analysis, gueset plate rating, and pating reports. He oft the drus developed enders on the latest brane world (560 -784 - 560' spans). He performed a datalate analysis and bridge pontoring for this structure which is one of the highest deck truss bridges in the world (560 -784 - 560' spans). He performed a datalate analysis and guity controlled the final rati		quality control for the load rating of a concrete girder bridge.
03/11 - 06/12 He reviewed bridge load rating results using Bentley software packages. Performed in-depth Finite Element analysis using LUSAS software to determine the structural member force for the required rating vehicles and developed independent detailed spreadsheets to perform load rating calculations and compared with the Bentley LARS rating. 03/11 - 01/12 S.P. No. 700-24-0031 - US 190 Mississippi River Bridge Rehabilitation, Baton Rouge, LA (DOTD) - Performed structure analysis for the purpose of rehabilitating this major truss bridge. He led the <u>load rating reports for the both the super-truss and the approach span steel bent towers</u> , evaluated the bridge conditions, and prioritized the bridge repair items. 03/14 - 06/14; Kanawha Falls Steel Truss Bridge Rating, Kanawha Falls, WV (WVDOH) - Bridge engineer for a rehabilitation study for this 985' steel truss bridge and 55' steel plate girder spans. He performed QC for load rating analysis using STAAD and RISA, including the review of existing inspection reports, for thus danual for Bridge Evaluation. He led the 3-D Finite Element analysis for guasset plate rating of the truss predeend and analysis for truss prider span based on the latest Manual for Bridge Evaluation. He led the 3-D Finite Element analysis, gusset plate rating, and bridge monitoring for this structure which is one of the highest deck truss bridges in the world (560'-784'-560' spans). He performed a detailed a concurrent live load analysis of the bridge using LUSAS software, generated governing load cases for gusset plate rating sheeded at a accordance with FIMA publications for gusset plate rating, and quality controlled the final rating report. He led the development of bridge monitoring for this structure which is one of the highest deck truss bridge. Software, adprovided detaided rating peroprams. 04/10 - 08-		District Nine QA/QC Bridge Inspection and Rating, Fayette, Greenbrier and Nicholas Counties, WV (WVDOH) - Load rating engineer responsible
bit bit bit bit bit compared with the Bentley LARS rating. 03/11 - 01/12 S.P. No. 700-24-0031 - US 190 Mississippi River Bridge Rehabilitation, Baton Rouge, LA (DOTD) - Performed structure analysis for the purpose of rehabilitating this major truss bridge. He led the load rating reports for the both the super-truss and the approach span steel bent towers, evaluated the bridge conditions, and prioritized the bridge repair items. 03/14 - 06/14; Wanawa Falls Steel Truss Bridge Rating, Kanawha Falls, WV (WVDOH) - Bridge engineer for a rehabilitation study for this 985' steel truss bridge and 55' steel plate girder spans. He performed QC for load rating analysis using STAAD and RISA, including the review of existing inspection reports, and rating calculations for one truss span and one girder span based on the latest Manual for Bridge Evaluation. He led the 3-D Finite Element analysis for final design of the truss rehabilitation. He performed detailed analysis for truss bridge a concurrent live load analysis for gueset plate rating of the truss. 08/10 - 05/14 Phill G. McDonald Bridge of 1-64 over Glade Creek, Raleigh County, WV (WVDOH) - Lead structural engineer for the truss analysis, gueset plate rating, and bridge using LUSAS software, generated governing load cases for gueset plate rating, sheet specific an acking. 04/10 - 08-10 West Virginia Division of Highways, Twenty-mile Creek Bridge, Nicholas County, WV (WVDOH) - Structural Engineer for QA/QC regarding uUSAS software, and provided detailed rating reports to compare with standard rating programs. 02/09 - 10/09 L35 & US 290 Interchange, Austin, TX — Design engineer for a review of structural		for the load rating analysis, review of loading rating results, and development of load rating reports for off-system bridges in District Nine, West Virginia.
compared with the Bentley LARS rating. 03/11 - 01/12 S.P. No. 700-24-0031 - US 190 Mississippi River Bridge Rehabilitation, Baton Rouge, LA (DOTD) - Performed structure analysis for the purpose of the bridge conditions, and prioritized the bridge repair items. 03/14 - 06/14; 07/10 - 11/10 Kanawha Falls Steel Truss bridge Rating, Kanawha Falls, WV (WVDOH) – Bridge engineer for a rehabilitation study for this 985' steel truss bridge and 75' steel plate grider spans. He performed QC for load rating analysis ung STAAD and RISA, including the review of existing inspection reports, and rating calculations for one truss span and one girder span based on the latest Manual for Bridge Evaluation. He led the 3-D Finite Element analysis for this usset plate rating of the truss. Phill G. McDonald Bridge of 1-64 over Glade Creek, Raleigh County, WV (WVDOH) – Lead structural engineer for the truss analysis, gusset plate rating, and bridge monitoring for this structure which is one of the highest deck truss bridges in the world (560'-784'-560' spans). He performed a detailed analysis of the bridge using LUSAS software, generated governing load cases for gusset plate rating, seveloped a rating spreadsheet in accordance with FHWA publications for gusset plate rating, and quality controlled the final rating report. He led the development of bridge emonitoring schemes, deployed sensors, and performed data analysis and interpretation for the purpose of diagnosing and rehabilitating abnormal bridge expansion and racking. 04/10 - 08-10 West Virginia Division of Highways, Twenty-mile Creek Bridge, Nicholas County, WV (WVDOH) - Structural Engineer for QA/QC regarding analysis and boid rating reports to compare with standard rating grogmas. 02/09 - 10/09 I-35 & US 200 In	03/11 - 06/12	
03/11 - 01/12 S.P. No. 700-24-0031 - US 190 Mississippi River Bridge Rehabilitation, Baton Rouge, LA (DOTD) - Performed structure analysis for the purpose of rehabilitating this major truss bridge. He led the load rating reports for the both the super-truss and the approach span steel bent towers, evaluated the bridge conditions, and prioritized the bridge repair items. 03/14 - 06/14; 07/10 - 11/10 Kanawha Falls Steel Truss Bridge Rating, Kanawha Falls, WV (WVDOH) - Bridge engineer for a rehabilitation study for this 985' steel truss bridge and 55' steel plate girder spans. He performed QC for load rating analysis using STAAD and RISA, including the review of existing inspection reports, and rating calculations for one truss span and one girder span based on the latest Manual for Bridge Evaluation. He led the 3-D Finite Element analysis for final design of the truss rehabilitation. He performed detailed analysis for truss forces under deal loads, live loads, and wind loads. He also performed a concurrent live load analysis for gusset plate rating of the truss. 08/10 - 05/14 Phill G. McDonald Bridge of 1-64 over Glade Creek, Raleigh County, WV (WVDOH) - Lead structural engineer for the truss analysis, gusset plate rating, and pulity controlled the final rating report. He led the development of bridge monitoring the schemes, deployed sensors, and performed data analysis and interpretation for the purpose of diagnosing and rehabilitation abornal bridge explansion and racking. 04/10 - 08-10 West Virginia Division of Highways, Twenty-mile Creek Bridge, Nicholas County, WV (WVDOH) - Structural Engineer for QA/QC regarding analysis and load rating proprise data analysis for the superstructure and load rating using LUSAS software, and provided detailed rating reports to compare with standard rating programs. <t< td=""><td></td><td></td></t<>		
03/11 - 01/12 rehabilitating this major truss bridge. He led the load rating reports for the both the super-truss and the approach span steel bent towers, evaluated the bridge conditions, and prioritized the bridge repair items. 03/14 - 06/14; Kanawha Falls Steel Truss Bridge Rating, Kanawha Falls, WV (WVDOH) – Bridge engineer for a rehabilitation study for this 985' steel truss bridge and 55' steel plate girder spans. He performed QC for load rating analysis using STAAD and RISA, including the review of existing inspection reports, and rating calculations for one truss span and one girder span based on the latest Manual for Bridge Evaluation. He led the 3-D Finite Element analysis for final design of the truss rehabilitation. He performed detailed analysis for truss forces under dead loads, live loads, and wind loads. He also performed a concurrent live load analysis for gusset plate rating of the truss. 08/10 - 05/14 Phill G. McDonald Bridge of 1-64 over Glade Creek, Raleigh County, WV (WVDOH) – Lead structural engineer for the truss analysis, gusset plate rating, and pulsity controlled the final rating report. He led the development of bridge monitoring for this structure which is one of the highest deck truss bridge nerver trues, developed a rating spreadsheet in accordance with FHWA publications for gusset plate rating, and quality controlled the final rating report. He led the development of bridge monitoring schemes, deployed sensors, and performed data analysis and interpretation for the purpose of diagnosing and rehabilitating abnormal bridge expansion and racking. 04/10 - 08-10 West Virginia Division of Highways, Twenty-mile Creek Bridge, Nicholas County, WV (WVDOH) - Structural Engineer for QA/QC regarding analysis and load rating reports to compare with standard rating programs. <		
the bridge conditions, and prioritized the bridge repair items. 03/14 - 06/14; 07/10 - 11/10 Kanawha Falls Steel Truss Bridge Rating, Kanawha Falls, WV (WVDOH) - Bridge engineer for a rehabilitation study for this 985' steel truss bridge and 55' steel plate girder spans. He performed QC for load rating analysis using STAAD and RISA, including the review of existing inspection reports, and a rating calculations for one truss span and one girder span based on the latest Manual for Bridge Evaluation. He led the 3-D Finite Element analysis for final design of the truss rehabilitation. He performed detailed analysis for truss forces under dead loads, live loads, and wind loads. He also performed a concurrent live load analysis for gusset plate rating of the truss. 08/10 - 05/14 Phill G. McDonald Bridge of 1-64 over Clade Creek, Raleigh County, WV (WVDOH) – Lead structural engineer for the truss analysis, gusset plate rating, and bridge monitoring for this structure which is one of the highest deck truss bridges in the world (560'-784'-560' spans). He performed a detailed 3-D Finite Element analysis of the bridge using LUSAS software, generated governing load cases for gusset plate rating, developed a rating spreadsheet in accordance with FHWA publications for gusset plate rating, and quality controlled the final rating report. He led the development of bridge monitoring schemes, deployed sensors, and performed data analysis and interpretation for the purpose of diagnosing and rehabilitating abnormal bridge expansion and racking. 02/09 - 10/09 Vest Virginia Division of Highways, Twenty-mile Creek Bridge, Nicholas County, WV (WDDH) - Structural Engineer for QA/QC regarding analysis and load rating for this unique truss bridge. He performed an alternative Finite Element analysis for the superstructure and load rating using LUSAS software, a		
Wanawha Falls Steel Truss Bridge Rating, Kanawha Falls, WV (WVDOH) – Bridge engineer for a rehabilitation study for this 985' steel truss bridge and 55' steel plate girder spans. He performed QC for load rating analysis using STAAD and RISA, including the review of existing inspection reports, and rating calculations for one truss span and one girder span based on the latest Manual for Bridge Evaluation. He led the 3-D Finite Element analysis for final design of the truss rehabilitation. He performed detailed analysis for truss forces under dead loads, live loads, and wind loads. He also performed a concurrent live load analysis for gusset plate rating of the truss. 08/10 - 05/14 Phill G. McDonald Bridge of 1-64 over Glade Creek, Raleigh County, WV (WVDOH) – Lead structural engineer for the truss analysis, gusset plate rating, and bridge monitoring for this structure which is one of the highest deck truss bridges in the world (560'-784'-560' spans). He performed detailed and caces of the bridge using LUSAS software, generated governing load caces for gusset plate rating, set veloped a rating spreadsheet in accordance with FHWA publications for gusset plate rating, and quality controlled the final rating report. He led the development of bridge monitoring schemes, deployed sensors, and performed data analysis and interpretation for the purpose of diagnosing and rehabilitating abnormal bridge expansion and racking. 04/10 - 08-10 West Virginia Division of Highways, Twenty-mile Creek Bridge, Nicholas County, WV (WVDOH) - Structural Engineer for QA/QC regarding malvsis and load rating for this unique truss bridge. He performed an alternative Finite Element analysis for this steel box-girder interchange. Performed DESCUS analysis, box girder analysis and splice analysis, along with QC of the bridge plans. 02/09 - 10/09 I-35 & US 290 Inter	03/11 - 01/12	
03/14 - 06/14; 07/10 - 11/10 and 55' steel plate girder spans. He performed QC for load rating analysis using STAAD and RISA, including the review of existing inspection reports, and rating calculations for one truss span and one girder span based on the latest Manual for Bridge Evaluation. He led the 3-D Finite Element analysis for final design of the truss rehabilitation. He performed detailed analysis for truss forces under dead loads, live loads, and wind loads. He also performed a concurrent live load analysis for gusset plate rating of the truss. 08/10 - 05/14 Phill G. McDonald Bridge of 1-64 over Glade Creek, Raleigh County, WV (WVDOH) - Lead structural engineer for the truss analysis, gusset plate rating, and bridge monitoring for this structure which is one of the highest deck truss bridges in the world (560'-784'-560' spans). He performed a detailed 3-D Finite Element analysis of the bridge using LUSAS software, generated governing load cases for gusset plate rating, developed a rating spreadsheet in accordance with FHWA publications for gusset plate rating, and quality controlled the final rating report. He led the development of bridge emonitoring schemes, deployed sensors, and performed data analysis and interpretation for the purpose of diagnosing and rehabilitating abnormal bridge expansion and racking. 04/10 - 08-10 West Virginia Division of Highways, Twenty-mile Creek Bridge, Nicholas County, WV (WVDOH) - Structural Engineer for QA/QC regarding analysis and load rating for this unique truss bridge. He performed an alternative Finite Element analysis for this steel box-girder interchange. Performed DESCUS analysis, box girder analysis and splice analysis, along with McC of the bridge plans. 02/09 - 10/09 I-35 & US 290 Interchange, Austin, TX - Design engineer for a review of structural calculations and bri		the bridge conditions, and prioritized the bridge repair items.
03/14 - 06/14; 07/10 - 11/10 and rating calculations for one truss span and one girder span based on the latest Manual for Bridge Evaluation. He led the 3-D Finite Element analysis for final design of the truss rehabilitation. He performed detailed analysis for truss forces under dead loads, live loads, and wind loads. He also performed a concurrent live load analysis for gusset plate rating of the truss. 08/10 - 05/14 Phill G. McDonald Bridge of 1-64 over Glade Creek, Raleigh County, WV (WVDOH) – Lead structural engineer for the truss analysis, gusset plate rating, and bridge of 1-64 over Glade Creek, Raleigh County, WV (WVDOH) – Lead structural engineer for the truss analysis, gusset plate rating, and bridge of 1-64 over Glade Creek, Raleigh County, WV (WVDOH) – Lead structural engineer for the truss analysis, gusset plate rating, and bridge of 1-64 over Glade Creek, Raleigh County, WV (WVDOH) – Lead structural engineer for the truss analysis, gusset plate rating, and bridge monitoring for this structure which is one of the highest deck truss bridges in the world (560'-784'-560' spans). He performed a detailed 3-D Finite Element analysis of the bridge using LUSAS software, generated governing load cases for gusset plate ratings, developed a rating spreadsheet in accordance with FHWA publications for gusset plate rating, and quality controlled the final rating report. He led the development of bridge monitoring schemes, deployed sensors, and performed data analysis and interpretation for the purpose of diagnosing and rehabilitating abnormal bridge expansion and racking. 04/10 - 08-10 West Virginia Division of Highways, Twenty-mile Creek Bridge, Nicholas County, WV (WVDOH) - Structural Engineer for QA/QC regarding analysis and load rating provided detailed rating reports to compare with standard rating programs. 02/09 - 10/09		Kanawha Falls Steel Truss Bridge Rating, Kanawha Falls, WV (WVDOH) – Bridge engineer for a rehabilitation study for this 985' steel truss bridge
07/10 - 11/10and rating calculations for one truss span and one grider span based on the fatest Manual for Bridge Evaluation. He fed the 3-D Finite Element analysis for final design of the truss rehabilitation. He performed detailed analysis for truss forces under dead loads, live loads, and wind loads. He also performed a concurrent live load analysis for gusset plate rating of the truss.08/10 - 05/14Phill G. McDonald Bridge of 1-64 over Glade Creek, Raleigh County, WV (WVDOH) - Lead structural engineer for the truss analysis, gusset plate rating, and bridge monitoring for this structure which is one of the highest deck truss bridges in the world (560'-784'-560' spans). He performed a detailed 3-D Finite Element analysis of the bridge using LUSAS software, generated governing load cases for gusset plate rating, developed a rating spreadsheet in accordance with FHWA publications for gusset plate rating, and quality controlled the final rating report. He led the development of bridge expansion and racking.04/10 - 08-10West Virginia Division of Highways, Twenty-mile Creek Bridge, Nicholas County, WV (WVDOH) - Structural Engineer for QA/QC regarding analysis and load rating for this unique truss bridge. He performed an alternative Finite Element analysis for the superstructure and load rating using LUSAS software, and provided detailed rating reports to compare with standard rating programs.02/09 - 10/09I-35 & US 290 Interchange, Austin, TX - Design engineer for a review of structural calculations and bridge plans for this steel box-girder interchange. Performed DESCUS analysis, box girder analysis and splice analysis, along with QC of the bridge plans.11/07 - 08/08S.P. No. 006-01-0018 + Huey P. Long Mississippi River Bridge Widening, Jefferson Parish, LA (DOTD) - Performed camber analysis for fabrication of the widening truss. Led the truss mo	02/14 06/14.	and 55' steel plate girder spans. He performed QC for load rating analysis using STAAD and RISA, including the review of existing inspection reports,
08/10 - 05/14 Phill G. McDonald Bridge of 1-64 over Glade Creek, Raleigh County, WV (WVDOH) – Lead structural engineer for the truss analysis, gusset plate rating, and bridge monitoring for this structure which is one of the highest deck truss bridges in the world (560°-784'-560' spans). He performed a detailed 3-D Finite Element analysis of the bridge using LUSAS software, generated governing load cases for gusset plate rating, developed a rating spreadsheet in accordance with FHWA publications for gusset plate rating, and quality controlled the final rating report. He led the development of bridge monitoring schemes, deployed sensors, and performed data analysis and interpretation for the purpose of diagnosing and rehabilitating abnormal bridge expansion and racking. 04/10 - 08-10 West Virginia Division of Highways, Twenty-mile Creek Bridge, Nicholas County, WV (WVDOH) - Structural Engineer for QA/QC regarding analysis and load rating for this unique truss bridge. He performed an alternative Finite Element analysis for the superstructure and load rating using LUSAS software, and provided detailed rating reports to compare with standard rating programs. 02/09 - 10/09 I-35 & US 290 Interchange, Austin, TX - Design engineer for a review of structural calculations and bridge plans. 11/07 - 08/08 S.P. No. 006-01-0018 - Huey P. Long Mississippi River Bridge Widening, Jefferson Parish, LA (DOTD) – Performed structure modeling of both the existing russ. Led the truss monitoring task during the truss construction stages. 11/07 - 08/08 S.P. No. 006-01-0018 - Huey P. Long Mississippi River Bridge Widening, Jefferson Parish, LA (DOTD) – Performed camber analysis for the widening truss. Led the truss monitoring task during the truss construction stages.		and rating calculations for one truss span and one girder span based on the latest Manual for Bridge Evaluation. He led the 3-D Finite Element analysis
08/10 - 05/14Phill G. McDonald Bridge of 1-64 over Glade Creek, Raleigh County, WV (WVDOH) - Lead structural engineer for the truss analysis, gusset plate rating, and bridge monitoring for this structure which is one of the highest deck truss bridges in the world (560'-784'-560' spans). He performed a detailed 3-D Finite Element analysis of the bridge using LUSAS software, generated governing load cases for gusset plate ratings, developed a rating spreadsheet in accordance with FHWA publications for gusset plate rating, and quality controlled the final rating report. He led the development of bridge monitoring schemes, deployed sensors, and performed data analysis and interpretation for the purpose of diagnosing and rehabilitating abnormal bridge expansion and racking.04/10 - 08-10West Virginia Division of Highways, Twenty-mile Creek Bridge, Nicholas County, WV (WVDOH) - Structural Engineer for QA/QC regarding analysis and load rating for this unique truss bridge. He performed an alternative Finite Element analysis for the superstructure and load rating using LUSAS software, and provided detailed rating reports to compare with standard rating programs.02/09 - 10/09I-35 & US 290 Interchange, Austin, TX - Design engineer for a review of structural calculations and bridge plans for this steel box-girder interchange. Performed DESCUS analysis, box girder analysis and splice analysis, along with QC of the bridge plans.11/07 - 08/08S.P. No. 006-01-0018 - Huey P. Long Mississippi River Bridge Widening, Jefferson Parish, LA (DOTD) - Performed camber analysis for the widening truss. Led the truss monitoring task during the truss erection. Worked closely with bridge monitoring teams and predicted truss member stresses under calibration loads, dead loads and erection loads for various construction stages.	0//10-11/10	for final design of the truss rehabilitation. He performed detailed analysis for truss forces under dead loads, live loads, and wind loads. He also performed
08/10 - 05/14rating, and bridge monitoring for this structure which is one of the highest deck truss bridges in the world (560'-784'-560' spans). He performed a detailed 3-D Finite Element analysis of the bridge using LUSAS software, generated governing load cases for gusset plate ratings, developed a rating spreadsheet in accordance with FHWA publications for gusset plate rating, and quality controlled the final rating report. He led the development of bridge monitoring schemes, deployed sensors, and performed data analysis and interpretation for the purpose of diagnosing and rehabilitating abnormal bridge expansion and racking.04/10 - 08-10West Virginia Division of Highways, Twenty-mile Creek Bridge, Nicholas County, WV (WVDOH) - Structural Engineer for QA/QC regarding analysis and load rating for this unique truss bridge. He performed an alternative Finite Element analysis for the superstructure and load rating using LUSAS software, and provided detailed rating reports to compare with standard rating programs.02/09 - 10/09I-35 & US 290 Interchange, Austin, TX - Design engineer for a review of structural calculations and bridge plans for this steel box-girder interchange. Performed DESCUS analysis, box girder analysis and splice analysis, along with QC of the bridge plans.11/07 - 08/08S.P. No. 006-01-0018 - Huey P. Long Mississippi River Bridge Widening, Jefferson Parish, LA (DOTD) - Performed camber analysis for fabrication of the widening truss. Led the truss monitoring task during the truss erection. Worked closely with bridge monitoring teams and predicted truss member stresses under calibration loads, dead loads and erection loads for various construction stages.		
08/10 - 05/14 3-D Finite Element analysis of the bridge using LUSAS software, generated governing load cases for gusset plate ratings, developed a rating spreadsheet in accordance with FHWA publications for gusset plate rating, and quality controlled the final rating report. He led the development of bridge monitoring schemes, deployed sensors, and performed data analysis and interpretation for the purpose of diagnosing and rehabilitating abnormal bridge expansion and racking. 04/10 - 08-10 West Virginia Division of Highways, Twenty-mile Creek Bridge, Nicholas County, WV (WVDOH) - Structural Engineer for QA/QC regarding analysis and load rating for this unique truss bridge. He performed an alternative Finite Element analysis for the superstructure and load rating using LUSAS software, and provided detailed rating reports to compare with standard rating programs. 02/09 - 10/09 I-35 & US 290 Interchange, Austin, TX - Design engineer for a review of structural calculations and bridge plans. S.P. No. 006-01-0018 - Huey P. Long Mississippi River Bridge Widening, Jefferson Parish, LA (DOTD) - Performed structure modeling of both the existing and widened truss, reviewed existing shop drawings, assisted with determining the existing truss geometry, and performed camber analysis for fabrication of the widening truss. Led the truss monitoring task during the truss erection. Worked closely with bridge monitoring teams and predicted truss member stresses under calibration loads, dead loads and erection loads for various construction stages.		Phill G. McDonald Bridge of I-64 over Glade Creek, Raleigh County, WV (WVDOH) – Lead structural engineer for the truss analysis, gusset plate
08/10 - 05/14 in accordance with FHWA publications for gusset plate rating, and quality controlled the final rating report. He led the development of bridge monitoring schemes, deployed sensors, and performed data analysis and interpretation for the purpose of diagnosing and rehabilitating abnormal bridge expansion and racking. 04/10 - 08-10 West Virginia Division of Highways, Twenty-mile Creek Bridge, Nicholas County, WV (WVDOH) - Structural Engineer for QA/QC regarding analysis and load rating for this unique truss bridge. He performed an alternative Finite Element analysis for the superstructure and load rating using LUSAS software, and provided detailed rating reports to compare with standard rating programs. 02/09 - 10/09 I-35 & US 290 Interchange, Austin, TX - Design engineer for a review of structural calculations and bridge plans for this steel box-girder interchange. Performed DESCUS analysis, box girder analysis and splice analysis, along with QC of the bridge plans. 11/07 - 08/08 S.P. No. 006-01-0018 - Huey P. Long Mississippi River Bridge Widening, Jefferson Parish, LA (DOTD) - Performed structure modeling of both the existing and widened truss, reviewed existing shop drawings, assisted with determining the existing truss geometry, and performed camber analysis for fabrication of the widening truss. Led the truss monitoring task during the truss erection. Worked closely with bridge monitoring teams and predicted truss member stresses under calibration loads, dead loads and erection loads for various construction stages.		
in accordance with FHWA publications for gusset plate rating, and quality controlled the final rating report. He led the development of bridge monitoring schemes, deployed sensors, and performed data analysis and interpretation for the purpose of diagnosing and rehabilitating abnormal bridge expansion and racking. 04/10 - 08-10 West Virginia Division of Highways, Twenty-mile Creek Bridge, Nicholas County, WV (WVDOH) - Structural Engineer for QA/QC regarding analysis and load rating for this unique truss bridge. He performed an alternative Finite Element analysis for the superstructure and load rating using LUSAS software, and provided detailed rating reports to compare with standard rating programs. 02/09 - 10/09 I-35 & US 290 Interchange, Austin, TX - Design engineer for a review of structural calculations and bridge plans for this steel box-girder interchange. Performed DESCUS analysis, box girder analysis and splice analysis, along with QC of the bridge plans. 11/07 - 08/08 S.P. No. 006-01-0018 - Huey P. Long Mississippi River Bridge Widening, Jefferson Parish, LA (DOTD) – Performed structure modeling of both the existing and widened truss, reviewed existing shop drawings, assisted with determining the existing truss geometry, and performed camber analysis for fabrication of the widening truss. Led the truss monitoring task during the truss erection. Worked closely with bridge monitoring teams and predicted truss member stresses under calibration loads, dead loads and erection loads for various construction stages.	08/10 05/14	
racking. racking. 04/10 - 08-10 West Virginia Division of Highways, Twenty-mile Creek Bridge, Nicholas County, WV (WVDOH) - Structural Engineer for QA/QC regarding analysis and load rating for this unique truss bridge. He performed an alternative Finite Element analysis for the superstructure and load rating using LUSAS software, and provided detailed rating reports to compare with standard rating programs. 02/09 - 10/09 I-35 & US 290 Interchange, Austin, TX - Design engineer for a review of structural calculations and bridge plans for this steel box-girder interchange. Performed DESCUS analysis, box girder analysis and splice analysis, along with QC of the bridge plans. 11/07 - 08/08 S.P. No. 006-01-0018 - Huey P. Long Mississippi River Bridge Widening, Jefferson Parish, LA (DOTD) – Performed structure modeling of both the existing and widened truss, reviewed existing shop drawings, assisted with determining the existing truss geometry, and performed camber analysis for fabrication of the widening truss. Led the truss monitoring task during the truss erection. Worked closely with bridge monitoring teams and predicted truss member stresses under calibration loads, dead loads and erection loads for various construction stages.	08/10-03/14	
04/10 - 08-10West Virginia Division of Highways, Twenty-mile Creek Bridge, Nicholas County, WV (WVDOH) - Structural Engineer for QA/QC regarding analysis and load rating for this unique truss bridge. He performed an alternative Finite Element analysis for the superstructure and load rating using LUSAS software, and provided detailed rating reports to compare with standard rating programs.02/09 - 10/09I-35 & US 290 Interchange, Austin, TX - Design engineer for a review of structural calculations and bridge plans for this steel box-girder interchange. Performed DESCUS analysis, box girder analysis and splice analysis, along with QC of the bridge plans.11/07 - 08/08S.P. No. 006-01-0018 - Huey P. Long Mississippi River Bridge Widening, Jefferson Parish, LA (DOTD) - Performed structure modeling of both the existing and widened truss, reviewed existing shop drawings, assisted with determining the existing truss geometry, and performed camber analysis for fabrication of the widening truss. Led the truss monitoring task during the truss erection. Worked closely with bridge monitoring teams and predicted truss member stresses under calibration loads, dead loads and erection loads for various construction stages.		
04/10 - 08-10 analysis and load rating for this unique truss bridge. He performed an alternative Finite Element analysis for the superstructure and load rating using LUSAS software, and provided detailed rating reports to compare with standard rating programs. 02/09 - 10/09 I-35 & US 290 Interchange, Austin, TX – Design engineer for a review of structural calculations and bridge plans for this steel box-girder interchange. Performed DESCUS analysis, box girder analysis and splice analysis, along with QC of the bridge plans. 11/07 - 08/08 S.P. No. 006-01-0018 - Huey P. Long Mississippi River Bridge Widening, Jefferson Parish, LA (DOTD) – Performed structure modeling of both the existing and widened truss, reviewed existing shop drawings, assisted with determining the existing truss geometry, and performed camber analysis for fabrication of the widening truss. Led the truss monitoring task during the truss erection. Worked closely with bridge monitoring teams and predicted truss member stresses under calibration loads, dead loads and erection loads for various construction stages.		
LUSAS software, and provided detailed rating reports to compare with standard rating programs. 02/09 - 10/09 I-35 & US 290 Interchange, Austin, TX – Design engineer for a review of structural calculations and bridge plans for this steel box-girder interchange. Performed DESCUS analysis, box girder analysis and splice analysis, along with QC of the bridge plans. 11/07 - 08/08 S.P. No. 006-01-0018 - Huey P. Long Mississippi River Bridge Widening, Jefferson Parish, LA (DOTD) – Performed structure modeling of both the existing and widened truss, reviewed existing shop drawings, assisted with determining the existing truss geometry, and performed camber analysis for fabrication of the widening truss. Led the truss monitoring task during the truss erection. Worked closely with bridge monitoring teams and predicted truss member stresses under calibration loads, dead loads and erection loads for various construction stages.		
02/09 - 10/09 I-35 & US 290 Interchange, Austin, TX – Design engineer for a review of structural calculations and bridge plans for this steel box-girder interchange. Performed DESCUS analysis, box girder analysis and splice analysis, along with QC of the bridge plans. 11/07 - 08/08 S.P. No. 006-01-0018 - Huey P. Long Mississippi River Bridge Widening, Jefferson Parish, LA (DOTD) – Performed structure modeling of both the existing and widened truss, reviewed existing shop drawings, assisted with determining the existing truss geometry, and performed camber analysis for fabrication of the widening truss. Led the truss monitoring task during the truss erection. Worked closely with bridge monitoring teams and predicted truss member stresses under calibration loads, dead loads and erection loads for various construction stages.	04/10 - 08 - 10	
02/09 - 10/09 Performed DESCUS analysis, box girder analysis and splice analysis, along with QC of the bridge plans. 11/07 - 08/08 S.P. No. 006-01-0018 - Huey P. Long Mississippi River Bridge Widening, Jefferson Parish, LA (DOTD) – Performed structure modeling of both the existing and widened truss, reviewed existing shop drawings, assisted with determining the existing truss geometry, and performed camber analysis for fabrication of the widening truss. Led the truss monitoring task during the truss erection. Worked closely with bridge monitoring teams and predicted truss member stresses under calibration loads, dead loads and erection loads for various construction stages.		LUSAS software, and provided detailed rating reports to compare with standard rating programs.
Performed DESCUS analysis, box girder analysis and splice analysis, along with QC of the bridge plans. 11/07 - 08/08 S.P. No. 006-01-0018 - Huey P. Long Mississippi River Bridge Widening, Jefferson Parish, LA (DOTD) – Performed structure modeling of both the existing and widened truss, reviewed existing shop drawings, assisted with determining the existing truss geometry, and performed camber analysis for fabrication of the widening truss. Led the truss monitoring task during the truss erection. Worked closely with bridge monitoring teams and predicted truss member stresses under calibration loads, dead loads and erection loads for various construction stages.	02/09 - 10/09	
existing and widened truss , reviewed existing shop drawings, assisted with determining the existing truss geometry, and performed camber analysis for fabrication of the widening truss. Led the truss monitoring task during the truss erection. Worked closely with bridge monitoring teams and predicted truss member stresses under calibration loads, dead loads and erection loads for various construction stages.	02/09 10/09	Performed DESCUS analysis, box girder analysis and splice analysis, along with QC of the bridge plans.
fabrication of the widening truss. Led the truss monitoring task during the truss erection. Worked closely with bridge monitoring teams and predicted truss member stresses under calibration loads, dead loads and erection loads for various construction stages.		
member stresses under calibration loads, dead loads and erection loads for various construction stages.	11/07 - 08/08	
I MIK Ir Bridge over Maumee River Rehabilitation Toledo OH - Performed Finite Flement analysis on the MIK Ir bascule bridge using in-house		
		MLK Jr. Bridge over Maumee River Rehabilitation, Toledo, OH - Performed Finite Element analysis on the MLK Jr. bascule bridge using in-house
	05/07 - 08/07	Finite Element software during the post-design phase. Analyzed the structural panel for the reduced counter-weight load cases to ensure that the current
structure met temporary operation requirements.		structure met temporary operation requirements.



Firm employed by	TRC Engineers, Inc.				
Name Nichole	Caiazzo, P.E.		Years of experience with this firm/employer	8	
Title Bridge E	ngineer		Years of experience with other firm(s)/employer(s)	7	
Degree(s) / Years	/ Specialization	B.S.,	, 2008, Civil Engineering		
Active registration number / state / expiration date			.0041078 / LA / 03-31-2025		
Year registered	2016 Discipline	Othe FHW FHW	l Engineering r Pertinent Training / Certifications A-NHI-130092 - Fundamentals of LRFR for Bridge, 2016 A-NHI-132082 - LRFD for Highway Bridge Substructures, 2018 A-NHI-132010B - LRFD for Foundation Design, 2018		
Contract role(s) / 1	brief description of responsibilities	MPI	<mark>R #5</mark> – Load Rating Engineer		
Experience dates	Experience and qualifications relevant	vant to	the proposed contract; <i>i.e.</i> , "designed drainage", "designed gin	rders", "designed	
(mm/yy–mm/yy)	intersection", etc. Experience dates	s shou	ld cover the time specified in the applicable MPR(s).		
05/23 - Present	Ohio Department of Transportation, <u>AASHTOWare BrR</u> software.	Statev	vide Load Rating - Performing checks and load rating of reinforced	concrete slab bridges using	
11/19 – 12/20	Contract No. 4400004920 (H.012485.1), Complex Off-system Bridge Rating and Evaluation, Statewide, LA (DOTD) – Load rating engineer responsible for inspection and load rating of 346 off-system bridges (COSLAB, COPCSS). She performed load rating analysis using <u>LRFR</u> with <u>AASHTOWare BrR</u> for the superstructures and substructures (timber and concrete piles). She provided repair recommendations for bridges with 3 ton or closure ratings.				
05/19 – 12/21	South Carolina Department of Transportation, Bridge Load Rating and Evaluation Services – District 4, SC - Engineer-of-Record, load rater and reviewer responsible for reviewing as-built plans, recent inspection reports and completing load capacity ratings and related tasks for 60 on- and off-system bridges consisting of steel plate girder, prestressed cored slab, reinforced concrete flat slab and reinforced concrete precast panel superstructures. Load rating was performed using <u>AASHTOWare BrR</u> in accordance with the SCDOT Load Rating Guidance Document and AASHTO Manual for Bridge Evaluation (MBE) using the Load Resistance Factor Rating (LRFR) and Load Factor Rating (LFR) methods. Led the load rating QA process.				
06/19 – 09/19	Greenville Garlington LLC, Honbarrier Drive over Rocky Creek Bridge Assessment and Load Rating – Engineer responsible for the load capacity rating of the prestressed concrete channel beam superstructure of this existing 3-span bridge built in 1977 that had been closed to traffic. Provided the load rating report and recommendations for keeping the bridge in service. Load rating was performed using <u>AASHTOWare BrR</u> in accordance with the SCDOT Load Rating Guidance Document and AASHTO Manual for Bridge Evaluation (MBE) using the Load Resistance Factor Rating (<u>LRFR</u>) and Load Factor Rating (LFR) methods.				
04/19 - 12/20	South Carolina Department of Transportation, SCDOT Bridge Inspection and Evaluation Services – Engineer-of-Record and load rater responsible for reviewing as-built plans, recent inspection reports and completing load capacity ratings and related tasks for 10 on- and off-system bridges consisting of prestressed concrete beam, reinforced concrete tee beam and steel plate girder superstructures. Load rating was performed using <u>AASHTOWare BrR</u> in accordance with the SCDOT Load Rating Guidance Document and AASHTO Manual for Bridge Evaluation (MBE) using the Load Resistance Factor Rating (LRFR) and Load Factor Rating (LFR) methods.				
05/18 - 07/18	West Virginia Department of Transp responsible for reviewing the load ratin	ortation ng of th lusing l	n-Division of Highways, Henrietta Bridge Renovations, Calhoun Co ne 3-span superstructure replacement consisting of continuous steel bean MDX in accordance with the AASHTO Manual for Bridge Evaluation (ME	ns superstructure on repaired	

	—
03/17 - 11/18	West Virginia Department of Transportation-Division of Highways, Rock Creek Development, Boone County, WV - Bridge engineer responsible for load rating this new 5-span prestressed concrete I-beam superstructure with concrete integral abutments on steel piles and concrete multi-column piers with drilled caissons. She developed detailed load rating sheets for the design plans as required by the WVDOH. The load rating was performed using AASHTOWare BrR in accordance with the AASHTO Manual for Bridge Evaluation (MBE) using the Load Resistance Factor Rating (LRFR) method and the WVDOH Bridge Design Manual.
04/16 - 06/19	Contract No. 4400004920 (H.009859.5) On-system Complex Load Rating, Statewide, LA (DOTD) – Bridge Engineer for the load rating of movable and complex truss bridges using AASHTOWare BrR in accordance with the AASHTO Manual for Bridge Evaluation (MBE), using the Load Resistance Factor Rating (LRFR) method, and the DOTD Policies and Guidelines for Bridge Rating and Evaluation. She load rated reinforced concrete slab approach spans and open steel grid deck along the portion of the main span, stringers and floorbeams in the main span, and reinforced concrete bent caps. She used <u>AASHTOWare BrR</u> , CONSYS software and Mathcad hand calculations to load rate the open steel grid deck, floorbeams, stringers, and concrete bent caps. Developed influence lines for existing and new girders and hammerhead bent cap using AASHTOWare BrR software. Load rated bridges include LA 670 over Bayou Teche (swing bridge), LA 47 over IWGO (tied arch, deck truss, steel & concrete girder, concrete slab), U.S. 90 Business (Riverbound Expressway) (deck truss and steel plate girder, floorbeams, stringers, gusset plates), I-220 over Russell Road (steel plate girders).
06/12 - 12/15	Virginia Department of Transportation, Limited Services Statewide (VA) Design Term Contract - Bridge Engineer responsible for the preparation of calculations and models for the design and analysis of prestressed concrete bulb-tee, prestressed concrete voided slab and steel plate girder superstructures, as well as reinforced concrete abutments, wingwalls, piers and pile bents with prestressed concrete and steel piles. She also generated and detailed preliminary, as-built and revision plans; calculated quantities and prepared the engineer's cost estimate; and reviewed shop drawings and RFI's. Projects under this contract were designed in accordance with AASHTO LRFD Specifications, VDOT Structure and Bridge Manuals and VDOT Guides and Instructional and Informational Memoranda. Load ratings were performed using Virtis in accordance with the AASHTO Manual for Bridge Evaluation (MBE) using the Load Resistance Factor Rating (LRFR) method.
02/09 - 12/12	Virginia Department of Transportation, Bridge Load Rating - Statewide, VA - Bridge engineer assigned to perform the load rating of over 200 existing bridges using Virtis in accordance with the AASHTO Manual for Bridge Evaluation (MBE) using the Load Resistance Factor Rating (LRFR) and Load Factor Rating (LFR) methods as specified by VDOT Guides and Instructional and Informational Memoranda. The bridge types including steel rolled beam and girder, prestressed box and I-beam, prestressed slab, reinforced concrete slab and tee beam, and timber superstructures. Developed the Virtis Software training and load rating instruction, references, project setup and procedures for VDOT load rating.
02/09 - 12/12	Virginia Department of Transportation, NOVA Limited Services Maintenance and Repair Contract, Northern, VA - Bridge engineer performing the load ratings of 27 bridges with steel beam superstructures and concrete substructures using Virtis in accordance with the AASHTO Manual for Bridge Evaluation (MBE) using the Load Resistance Factor Rating (<u>LRFR</u>) method.



Firm employed by	TRC Engineers, I	nc.					
Name Denny D)ispennette, P.E.		Years of experience with this firm/employer	6			
Title Civil Eng			Years of experience with other firm(s)/employer(s)	5			
Degree(s) / Years	•	B.S.	5./ 2012 / Civil Engineering . / 2010 / Civil Engineering				
	n number / state / exp		#PE.0044141 / LA / 3-31-2024				
Year registered 2019 Disciplin e			Il Engineering er Pertinent Training / Certifications VA/NHI 130055 - Safety Inspection of In-Service Bridges, 2014 VA/NHI 130053 - Bridge Inspection Refresher Training, 2021 VA/NHI 130078 - Fracture Critical Inspection Techniques for Steel Bridges, VA/NHI 130092 - LRFR for Bridge Superstructures, 2014				
Contract role(s) / 1 responsibilities	brief description of	MP. Lea	<mark>R #5</mark> - Load Rating Engineer / Inspection Team Leader / Load I der	Rating Training Task			
Experience dates	Experience and qua	lifications relevar	nt to the proposed contract; <i>i.e.</i> , "designed drainage", "designed	girders", "designed			
(mm/yy–mm/yy)			hould cover the time specified in the applicable MPR(s).				
10/12 - 09/17	included the load rating of the load rating poli	g of trusses, steel dec cy for the State's lo was a team member	arleston, WV – Bridge engineer/load rater/bridge inspector employed by ck girders, steel box beams and simple span bridges, performance of QA/C ad rating program, reviewing consultant load rating reports, and <u>teaching</u> for several complex girder and truss bridges including multiple Ohio Riv	QC on load ratings, <u>development</u> <u>g classes on load rating to State</u>			
10/17 - 02/18	the load rating analys	<u>es</u> on timber substru	dge Inspection and Off-system Load Rating Contract, Statewide, MS - icture elements for 160 off-system bridges in Lincoln, Pike, and Amite co ance with the AASHTO MBE. This load rating effort was completed on an	ounties. He analyzed timber and			
04/18 - 10/18			eplacement - Seabrook, NH – Load rater and designer for replacement of gh voltage transmission lines. The new bridge was a multi-steel girder with				
10/22-07/23			y, WV (WVDOH) – Designer and load rater for the twin bridges carrying US ctures (girders and all associated details) and <u>load rated</u> each of these new br				
04/22-07/22	Blennerhassett Island Bridge – Parkersburg, WV (WVDOH) – Project manager and team leader for the routine inspection of a tied arch bridge over the Kanawha River. He planned the inspection, safety, subcontractor coordination/contracting, and traffic control. He led 4 teams to include 185 ft. manlift, snooper, and boat access means. He wrote the inspection report, developed element level data, and updated the SI&A coding.						
12/21-01/22	Linden Street Bridge over Lackawanna River, Scranton, PA (PennDOT) – Load rater for the superstructure (steel girder) and substructure load rating using LRFR.						
12/21	Contract No. 44-13321; H.09730.5 Retainer Contract for In-depth Bridge Inspections (On-System), Statewide (DOTD) – Team leader responsible for the routine and element level inspection of the I-10 over Calcasieu River truss bridge. He inspected the deck, steel superstructure (girders, floor beams, stringers, bearings), steel substructure (bent caps, columns, diagonal bracing, gusset plates) using aerial access equipment. He wrote the inspection report defect list and updated the drawings for the defects.						

11/20-11/20	General Engineering Services Contract, Franklin County Engineer's Office (FCEO), OH – Team leader responsible for 17 bridges. He led the field inspection and wrote the inspection reports in AssetWise in accordance with NBIS and ODOT standards.
10/20-02/21	West Virginia Division of Highways, District 1, RHL Blvd. Bridge - Kanawha County, WV - Load rater and bridge designer responsible for updating the steel girder design, cross-frame design, and load ratings.
12/19-12/20	Contract No. H.012485.1 Off-system Load Rating, Statewide, LA (DOTD) – Load rating engineer responsible for load rating of 300 off-system bridges (COSLAB, COPCSS, steel and concrete girders, culverts). He rated the concrete panel and slab superstructures using <u>AASHTO BrR software</u> and timber pile substructure units using Excel and STAAD. He was the responsible engineer for over 50 bridge load rating reports. The load ratings were performed using the current AASHTO <i>Manual for Bridge Evaluation</i> and DOTD <i>Policies and Guidelines for Bridge Rating and Evaluation</i> . He provided repair recommendations for bridges with 3 ton or closure ratings.
10/19 - 03/20	Off-system Bridge Load Rating, South Carolina Department of Transportation, Statewide, SC - Load rating engineer responsible for the <u>load rating</u> of several off-system bridges in South Carolina. He used <u>AASHTO BrR</u> for the concrete superstructures, load rated the substructure elements, issued posting recommendations, and updated NBI data.
04/18 - 12/19	Contract No. 4400004920 (H.009859.5) Complex Load Rating and Inspection, Statewide, LA (DOTD) – Load rating engineer performing the load ratings and inspections of complex bridges to include complex trusses and movable (vertical lift, bascule, swing) bridges. Services included: Plan and Document Retrieval and Review; Bridge Inspections; Structural Modeling and Analysis of; Load Rating of each assigned bridge based on present condition, capacity and loading using the load rating provisions in the Current AASHTO <i>Manual for Bridge Evaluation</i> and DOTD <i>Policies and Guidelines for Bridge Rating and Evaluation;</i> Peer Review Ratings.
10/18 - 12/18	I-70 Bridge Rehabilitation – Ohio County, WV (WVDOH) – Team leader for the rehabilitation bridge inspections of four steel multi-girder bridges carrying I-70 EB and WB. He ensured thorough condition documentation as well as geometric inventory measurements to provide information for the rehabilitation of the structures. He prepared the rehabilitation plans for the bridges.
11/18 - 12/18	Kanawha Falls Bridge – Kanawha Falls, WV (WVDOH) – Team leader for the emergency bridge inspection a 90-year-old, three-span, riveted through truss over the Kanawha River. He led and performed the inspection of the entire floor system to verify condition and to advise if additional emergency repairs were required. He led and performed the inspection of the truss lower chords and stringers looking for critical findings that might require immediate repair or preclude the bridge from reopening. A hands-on inspection of the lower chords and floor beam to lower chord connections was conducted and he developed and submitted an inspection report.



Firm employed by	TRC Engineers,	Inc.				
Name Mark Ca	Name Mark Castay, P.E.			Years of experience with this employer	8	
				Years of experience with other employer(s)	7	
Degree(s) / Years	/ Specialization			/ 2008 / Civil Engineering / 2006 / Civil Engineering		
Active registration	n number / state / exp	oiration date	#PE.	.0039430 / LA / 9-30-23		
Year registered	2015	Discipline	Other FHW FHW LTRO FHW LTRO	l Engineering r Pertinent Training / Certifications A-NHI-130055 - "Safety Inspection of In-Service Bridges", 2016 A / NHI - Bridge Inspection Refresher, 2020 A / NHI - LRFD for Highway Bridge Substructures, 2017 C/LADOTD-AASHTOWare Bridge Rating Fundamentals Training, 2017 A / NHI - NEPA and Transportation Decision Making, 2009 C / LADOTD-AASHTOWare Bridge Rating Fundamentals Training, 2017 SA / LADOTD-Traffic Control Supervisor, 2020		
Contract role(s) / b	orief description of re	esponsibilities		R #5 – Load Rating Engineer / Team Leader / Plans & Docum	ent Search	
Experience dates	Experience and qua	alifications rele	vant to	the proposed contract; <i>i.e.</i> , "designed drainage", "designed gi	rders", "designed	
(mm/yy–mm/yy)				ld cover the years of experience specified in the applicable MI		
06/23-07/23	S.P. No. X316-H-125.1600; West Virginia Department of Transportation, Hardy County, WV – Performed QC for the bridge load rating of (2) continuous 300' steel plate girder bridges and design drawings for the girders, bearing assemblies, shear keys and anchor rods.					
03/23-05/23				elby County, TN- Performed inspection as team leader for 56 bridges and goncrete arch, concrete tee/box beams and culverts.	generated reports. Bridge types	
06/21-02/22	S.P. No. 44-17264; H.011965.5, LA 47 over IWGO, Bridge Rehabilitation, New Orleans, LA (DOTD) – Team leader during the performance of a bridge inspection for the rehabilitation design of this 6,620' tied arch/deck truss bridge included in the state historic bridge management plan. He led the superstructure and deck inspections. As a Bridge Engineer, his responsibilities included design and plan generation for the rehabilitation of various bridge components including CFRP strengthening of prestressed girders and columns, deck joints, spalls and fractures on superstructure and substructure components, ancillary steel and aluminum frames, bearing replacement, and structure jacking schemes.					
02/21	Contract No. H.013321, Complex Bridge Inspections, Statewide, LA (DOTD) – Bridge Inspector assigned to inspect the box girders, cable anchors, and towers of the I-310 over Mississippi River bridge (cable stayed bridge).					
12/19 - 12/20	Contract No. 4400004920 (H.012485.1), Complex Off-system Bridge Rating and Evaluation, Statewide, LA (DOTD) – Bridge Inspector and load rating engineer for the site assessments and load ratings of 345 off-system concrete slab span (COPCSS, COSLAB) bridges supported on concrete caps and concrete or timber piles. He used <u>AASHTOWare BrR</u> and <u>LRFR</u> to perform the load ratings. He also provided repair recommendations for bridges with 3 ton or closure ratings.					
03/18 - 04/18	Contract No. 4400010099 (H.009859.5), Complex Off-system Bridge Rating and Evaluation, Statewide, LA (DOTD) – Bridge Inspector and load rating engineer for the site assessment and <u>load rating of an off-system truss bridge</u> over the Tensas River. He led the assessment of the superstructure elements, operated a platform snooper truck and developed the load rating for the bridge using AASHTOWare BrR.					
09/17 - 02/18				ate Aid Bridge Inspection and Load Rating IDIQ Master Contract - B oridges. Performed routine inspections and <u>load ratings</u> in accordance with		

	Standards (NBIS) and AASHTO MBE on selected bridges located statewide. He used <u>AASHTOWare BrR and LRFR</u> to perform the load ratings. He also provided repair recommendations for bridges with 3 ton or closure ratings.
04/16 - 06/19	Contract No. 4400004920 (H.009859.5) On-system Complex Load Rating, Statewide, LA (DOTD) – Bridge load rating engineer and Inspector responsible for site visits, assessments and load rating of complex truss and movable bridges under this retainer contract. For the Bayou Teche bridge (swing span) he performed the bridge inspection and documented deficiencies to be used in the load rating analysis. For the LA 27 over ICWW (vertical lift/truss) bridge he inspected the lift span and truss, rated pile cap bents and performed QC on gusset plates, truss models/chord splices, and PCC and steel girder analyses. For LA319 over ICWW (double leaf bascule) he performed rating analysis on PCC girder spans and hammerhead bent caps using strut and tie in addition to QC of the remainder of the bridge components. For the LA 654 over Bayou Lafourche (vertical lift) he performed QC on the bridge over Terrebonne Bayou (swing span) and St. Anne Bridge over Terrebonne Bayou (swing span), he performed QC on the bridge rating calculations and analysis models. For LA 47 over IWGO (tied arch truss) he performed load rating analysis for the pin and hangers, link plates and chord splices, as well as completed rating analyses for the pile supported reinforced concrete caps. He also calculated the truss panel point dead loads for inclusion in the <u>AASHTOWare BrR model</u> . For LA 1 over Atchafalaya (cantilevered Warren through truss) he performed the bridge inspection and load ratings for pin and hangers and an analysis for the truss gusset plates in BrR. For the US 90B Riverbound Expressway (riveted plate girder and deck truss) bridge he performed the bridge inspection and documented the bridge inspection and documented the bridge inspection and load rating analysis of the girders, floor beams, stringers, gusset plates and truss members.
03/16 – 09/16; 06/18	Contract No. 4400005960 (H.009730.5), In-depth Bridge Inspection of Complex Structures, Statewide, LA (DOTD) – Bridge Inspector for cantilevered truss bridges on I-10 over Lake Calcasieu and the Mississippi River, along with the US 90 Danziger Bridge (vertical lift). Involved in-depth inspection of the bridge superstructure and substructure, element level conditions/quantities, and composing the final report.
06/15-08/15	Belaire Bridge Rating, Plaquemines Parish, LA - Performed the bridge load rating for a precast slab span bridge replacement from as-built drawings.
10/12-12/12	Lake Provost Road Bridge Rating, Lafayette Parish, LA – Performed the load rating for a 3-span bridge (timber) replacement from as-built drawings.



Firm employed by	TRC Engineers, Ir	nc.				
Name Dong Wang, Ph.D., S.E., P.E.				Years of experience with this employer	8.5	
Title Civil/Stru	uctural Engineer			Years of experience with other employer(s)	0	
Degree(s) / Years	-		M.S.	0. / 2014 / Civil Engineering . / 2009 / Structural Engineering / 2007 / Engineering Mechanics		
Active registration	n number / state / expi	ration date	#PE.	.0042845 / LA / 03-31-2025		
Year registered	2018 (PE of LA) 2020 (SE of LA)	Discipline	Other FHW	I/Structural Engineering r Pertinent Training / Certifications /A-NHI-130092-Fundamentals of LRFR for Bridge Superstructures, OTD AASHTOWare Bridge Rating Fundamentals Training	2015	
Contract role(s) / l				R #5 - Load Rating Engineer		
Experience dates				the proposed contract; <i>i.e.</i> , "designed drainage", "designed gin		
(mm/yy–mm/yy)				ld cover the years of experience specified in the applicable MP		
04/23 - 08/23		loped the 3D FEA	mod	ivate Client) – TRC was assigned the deck replacement design and load r eling of the bridge using midas Civil. The superstructure (the main girde		
03/23 - 08/23		Bridge Load Rating, US DOE – Performed load rating using <u>AASHTO BrR</u> and midas Civil on six bridges of different types. Members that were rated consisted of the steel beams, grid deck, voided concrete box beams, and arch culvert.				
05/23 - 06/23	Timber Bridge Load F <u>AASHTOWare BrR</u> an		Paris	h, LA (Private Client) – Performed load rating on the super/substructure	e of two timber bridges using	
11/22 - 12/22				Load Rating, OH – Load rater for the performance of LRFR and LFR rate with multiple doglegs on a curved alignment with variable flares rated in		
06/22 - 09/22	ODOT, HAS-151-04.85 – SR 151 over the Columbus & Ohio River Railroad, Harrison County, OH – The project involved replacement of a curved six-span bridge over the CUOH Railroad. The bridge was curved and highly skewed to the railroad. An integral straddle bent and a refined analysis were required. Dr. Wang assisted with the midas Civil modeling of the bridge which encompassed both the superstructure and straddle bent.					
10/21	Elevated Pedestrian Walkway Load Rating, US DOE – Performed load rating using <u>AASHTOWare BrR</u> for the superstructure (main girders and transverse supporting beam) and substructure (steel column) members.					
02/21 - 04/21	Broadmore Bridge Inspection and Special Haul Load Rating, Lake Arthur, LA (Private Client) – Load rating engineer responsible for the load rating of a concrete slab off-system bridge for special hauling vehicles. He used <u>AASHTO BrR</u> for the concrete superstructure, load rated the timber piles and concrete caps, and issued posting recommendations.					
02/20 - 12/20	of 346 off-system bridg and other software for t	es (COSLAB, CC	PCSS and s	Off-System Bridges, Statewide, LA (LADOTD) – Load rating engineer n, concrete and steel girders). He performed the <u>LRFR load rating</u> analyse ubstructures (timber and concrete piles). He developed influence lines and he load rating calculations and analysis models rated by fellow engineers.	es using <u>AASHTOWare BrR</u>	

07/18 - 10/20	Walter O. Bigby Carriageway Bridge – Bossier City, LA (City of Bossier City) – Load rating engineer for the load ratings of steel girder spans and prepared the load rating report. Checked the load rating of one pile bent. As served as a Bridge engineer responsible for designing and detailing the bridge deck overhang, bearing pads, pile bents and abutments. Checked the modeling and design of steel girder spans. Performed stability analysis of steel girder spans. Prepared quantities and design calculation books.
06/16 – 08/19	Contract No. 4400004920 (H.009859.5), Complex Load Rating and Inspection, Statewide, LA (DOTD) – Load rating engineer responsible for completing the complex load rating of truss and movable bridge superstructure elements of the LA 47 IWGO Bridge (tied arch/deck truss), LA1 over Atchafalaya River Bridge (truss), LA 27 over ICWW Bridge (vertical lift), LA 654 Bayou Lafourche Bridge (vertical lift), LA 83 Patout Bayou Bridge (swing), LA 319 Intracoastal Bridge (bascule), St. Ann Bridge over Bayou Terrebonne (swing) and US 90 Riverbound Expressway Bridge (deck truss/plate girder). Work was completed using the load rating provisions in the current AASHTO Manual for Bridge Evaluation and the DOTD Policies and Guidelines for Bridge Rating and Evaluation. Developed the <u>AASHTOWare BrR load rating</u> , MIDAS/Civil modeling, and Excel/MathCAD data processing. Wrote portions of the load rating reports.
07/19	BEL-70-2684C Bridge Load Rating, Ohio Department of Transportation, Statewide, OH – Load rating engineer responsible for load rating of the BEL-70-2684C bridge. He used <u>AASHTO BrR</u> for the superstructures and provided posting recommendations
05/19 - 06/19	Off-system Bridge Load Rating, South Carolina Department of Transportation, Statewide, SC – Load rating engineer responsible for the load rating of several off-system bridges in South Carolina. He used <u>AASHTO BrR and LRFR</u> for the concrete superstructures, load rated the substructure elements, and issued posting recommendations.
10/17 - 02/18	Mississippi Department of Transportation, Office of State Aid, Bridge Inspection and Off-system Load Rating Contract – Load rating engineer for load rating the concrete and timber superstructure elements and substructure elements of off-system bridges in accordance with AASHTO MBE. He used AASHTOWare BrR for the analysis of the superstructure elements.
08/17	Private Industrial Facility Bridge Seabrook, NH – Load rating engineer responsible for the load rating in conjunction with an In-Depth Routine Inspection to determine deficiencies of the steel superstructure and concrete substructure, the condition of the bridge, and preparation of an engineering report. He performed the load ratings using LFD rating for HS20-44 loads and modeling to determine loads on the bridge of a Terex RT 670 crane as well as a Goldhofer PST/H6.
05/15 - 11/15	Contract No. 4400002791 (H.003495 & H.011111), I-49 & I-220 Interchange, Caddo Parish, LA (DOTD) – Load rating engineer responsible for developing and performing the <u>AASHTOWare BrR load rating</u> for the I-49 over MLK Bridge, including writing of the load rating report.
02/15 - 06/15	Admiral T.J. Lopez Bridge - Kanawha County, WV (WVDOH) – Load rating engineer responsible for developing and performing the LUSAS modeling and Excel data processing for the truss gusset plate load rating.
09/12 - 05/14	Civil Engineering Department, Bridge Ratings, Huntsville, AL (University of Alabama) – Responsible for comparison studies and research between load and resistance factored rating (LRFR), allowable stress rating (ASR), and load factored rating (LFR). Made training material (introduction and explanation of different load rating methods, load rating examples using <u>BrR</u>) of load rating .



Firm employed by	TRC Engineers, Inc.				
Name Curtis W	vood, Ph.D., P.E.		Years of experience with this employer	3	
Title Civil/Stru	uctural Engineer	-	Years of experience with other employer(s)	20	
Degree(s) / Years	/ Specialization	M.S B.S.	D. / 2018 / Structural Engineering . / 2006 / Structural Engineering / 2000 / Engineering Mechanics .0046293 / LA / 03-31-2024		
Year registered	2021 Discipline	Civil Other Bridg NHI-	l/Structural Engineering r Pertinent Training / Certifications ge Inspection – Level 2 (ODOT) 130056 - Safety Inspection of In-Service Bridges for Professional Enginee	rs	
	orief description of responsibilities				
Experience dates (mm/yy-mm/yy)	L L		the proposed contract; <i>i.e.</i> , "designed drainage", "designed giald cover the years of experience specified in the applicable MI		
11/22-Present			OH – Assigned as a Load Rater responsible for performing LRFR and LFR laignment with variable flares pegged to a BrR line girder.	ratings of steel beam and plate	
3/22-Present	Cardinal Operating Company, Bridge Inspections – Reviewer for the FEA load rating of this 7 Span, 400-foot-long bridge. The structure is privately owned and consists of two riveted, haunched, hinged plate girders framed into steel piers along with transverse floor beams and stringers.				
08/20	ODOT District 12, CUY-2-14.41 (Main Ave.), Cleveland, OH - Team leader for the NBIS inspection of this fracture critical bridge.				
07/19	ODOT District 12, CUY-10-15.94 (Lorain Road over Columbus Road), Cleveland, OH - Team leader for an NBIS inspection of the CUY-10-15.94 bridge in Cleveland.				
11/21 – 12/21	Louisiana DOTD, Contract No. H.013321 - Complex Bridge Inspections, Statewide - Team leader for the routine and element level inspections of I- 10 over the Calcasieu River bridge (6,607-foot-long steel cantilever through truss and deck truss). Led inspections of the deck, superstructure (steel plate girders and rolled girders with pin and hangers), floor system (steel floor beams and stringers), and steel tower bents using an Aspen A-62 snooper. Coordinated with aerial access teams, two other engineering firms' teams, and the traffic control team. Developed element level quantities and condition states.				
10/19	Greater Columbus Convention Center, High-Third Connector Bridge Inspection, Ohio - Project manager and inspection team leader for the high-third connector bridges, including fracture critical inspections of steel pier caps.				
01/14-07/17	Ohio Department of Transportation, District 7, MOT-75-1044/1078, Montgomery County, OH - Lead Bridge Engineer for deck replacement and girder hinge removal on two 940' long structures over the Great Miami River. The existing girders included kink points, hinges, and additional girders that were framed in midspan. Both structures were modeled using finite element analysis (FEA) to verify more traditional beam line analysis techniques which allowed the submitted bridge rating files to the owner to be simplified.				
11/21-Present	CUOH Railroad. The bridge was highly s	skewed 1 skew	ct Manager for this design-build project involving the replacement of a cu I to the RR and required an integral straddle bent and a refined analysis. N ed slopes. The proposed design saved 25% compared to the second-plac	Aultiple foundation types were	

02/17-01/18	Ohio Department of Transportation, CUY-77-1409, Broadway Ave over I.R. 77, Cuyahoga County, OH - Lead Bridge Engineer. As part of the CCG6B Cleveland innerbelt project, the design-build team was tasked with replacing the heavily skewed Broadway Ave. structure that spanned I.R. 77. Though the mandated two spans of the bridge extended well beyond the typical limits of concrete girders, Dr. Wood developed the unique solution of utilizing spliced, precast, post-tensioned concrete I-girders due to their efficient resistance to adverse skew effects. This proved to be a very cost-effective solution.
01/20-12/20	CSX (Create P3/GS19), CSX Blue Island Subdivision, Chicago, IL - Dr. Wood was the Bridge Lead Engineer for the main span over 69th Street. The bridge consists of 56" web plate girders spanning 70 ft with four stringers per track and designed to support a four-track system. The substructure consists of highwall abutments with wingwalls supported on drilled shafts. Construction staging was a significant aspect of the design. The overall project will involve constructing a bridge that significantly reduces conflicts between CSX and BRC, Metra and NS (P3). The project also includes constructing a road-rail grade separation with 71st Street and the CSX freight line (GS19) including associated signals, tracks, crossovers, and bridge work.
01/14-12/15	Texas Department of Transportation, I-345, Dallas, TX - The IH-345 Bridge is a 1.6-mile long elevated expressway connecting I-30 and I-45 on the south with Texas Route 366 on the North in Dallas, Texas. The fracture-critical two-girder structure consists of over 60 independent bridge units. Completed in 1971, the structure has exhibited distortion-induced fatigue cracking at the floor beam-to-girder connections. The IH-345 Critical Analysis Project involves condition assessment, structural analysis, and retrofit design development to address the ongoing crack problem. Dr. Wood served as project manager.
06/13-08/13	Ohio Department of Transportation - District 1, ALL-75-703, Allen County, OH - Dr. Wood developed a 3-D FE model to design a unique substructure supported on drilled shafts as part of a VE submitted to ODOT. He worked closely with the geotechnical engineer to reduce foundation costs while maintaining a robust design.
01/11-12/11	Ohio Department of Transportation, SHE-29-1539 – Shelby County, OH - Dr. Wood was involved in the forensic investigation of a complex steel plate girder that buckled during construction. As part of the investigation, Dr. Wood developed a 3-D FE model of the structure based on survey data taken after the girder failure.
05/10-08/10	Ohio Department of Transportation, MRW-61-0118, S.R. 61 over I.R. 71, Morrow County, OH - Dr. Wood used FEM to assist the District in the design of a highly skewed plate girder bridge. The FE model accounted for the incremental placement of concrete during construction and resulting deflections and rotations. Resulting deflections at the concrete screed machine where used to ensure adequate deck thickness.
03/10-09/11	Ohio Department of Transportation - District 7, MOT-725-2188, S.R. 725 over Brewster Creek, Montgomery County, OH - Dr. Wood used 3-D FEM to design a highly skewed prestressed concrete box beam bridge. The FE model was used to predict and limit beam deflections and warping.
04/08-00/08	Ohio Department of Transportation - Districts 5/6, FRA-33-2792, Bixby Road over US 33, Franklin County, OH - Dr. Wood performed a refined analysis of the complex superstructure using 3-D FEM. He worked with the District to redesign the framing plan and steel plate girders to reduce complexity to reduce deflections and rotations during construction.



Firm employed b	y TRC Engineers, I	nc.				
	a Blankenship, PE			Years of experience with this firm/employer	<1	
Title Bridge H	<u> </u>			Years of experience with other firm(s)/employer(s)	6	
Degree(s) / Years				/ 2017 / Civil Engineering		
	on number / state / exp			0047680 / LA / 9-30-23		
Year registered	2023	Discipline	Civil	Engineering		
Contract role(s) /				R #5 - Load Rating Engineer / Plans and Document Search		
02/23-Present	expansion joint assemb assisting with the devel	olies, bearings, pre lopment of traffic c	stressed ontrol p		oor beams and stringers. Also	
02/23-06/23	retaining walls that wer ends, replacement of br	re failing, as well a idge end drainage s	s additi systems	Shelby County, TN - Served as a design engineer for the development of r onal improvements and repairs such as sidewalk repair, complete replacem at all four corners of the bridge, approach pavement vertical realignment, cl eck and approach slab pavements. Also developed the traffic control plans.	nent of the pavement at bridge leaning and repairing of joints,	
02/23-Present	Ohio Department of T variety of superstructur		atewid	e Bridge Load Ratings - Performed QC reviews on load ratings analyzed	in AASHTOWare BrR for a	
01/18-02/23	non-complex, and comp	plex bridges across	Mississ <u>BrR</u> , S	Load Rating, Statewide, MS - Served as a load rater for the substructure sippi per applicable design specifications. The load rating analyses were base STAAD, and Leap Bridge Concrete. Over the course of three contracts over the served bridges.	ed on recent inspection reports	
09/20-05/21	developed quantities an provided Phase C service	SR 7 over Grenada Railroad, Grenada County, MS - Developed the fee estimate and project schedule, designed the superstructure and substructure, developed quantities and an estimate for construction for all bridge components, load rated the newly constructed bridge using <u>AASHTOWare BrR</u> , and provided Phase C services (review of shop drawings and RFIs). The design included checking the bridge geometry to verify the required vertical clearance for a railroad crossing underneath.				
07/20-09/20	I-59/I-20, Alabama - Load rated several bridges along I-59/I-20 post construction. Many of the bridges were curved and widened, and required FEM. Modeled the bridges using <u>AASHTOWare BrR</u> in accordance with provisions in the current AASHTO Manual for Bridge Evaluation and ALDOT's Policies and Guidelines for Bridge Rating and Evaluation.					
05/21-04/22	SR 35 over Sugar Creek, Attala County, MS - Developed the fee estimate and project schedule, designed the superstructure and substructure, developed quantities and an estimate for construction for all bridge components, load rated the newly constructed bridge using <u>AASHTOWare BrR</u> , and provided Phase C services (review of shop drawings and RFIs).					
07/20-09/20	SR 404, Montgomery <u>AASHTOWare BrR</u> .	County, MS - Pr	ovided	phase C services (reviewed shop drawing and RFIs) and load rated the ne	ewly constructed bridge using	



Firm employed by	TRC Engineers, Inc.						
Name Christop	oher Hay, P.E.		Years of experience with this employer	6.5			
Title Sr. Bridg	ge Engineer		Years of experience with other employer(s)	9			
Degree(s) / Years	/ Specialization	B.S.	/ 2007 / Civil Engineering				
Active registration	n number / state / expiration date	#PE	.0043025 / LA / 3-31-2024				
Year registered 2018 Discipline Civil Other FHW FHW FHW			l Engineering r Pertinent Training / Certifications A / NHI #130055 - Safety Inspection of In-Service Bridges, 2016 A / NHI #130053 – Bridge Inspection Refresher Training, 2021 A/NHI #130078 – Fracture Critical Inspection Techniques for Steel Bridge A / NHI #130092 – LRFR for Bridge Superstructures, 2019	es, 2014			
Contract role(s) / l	brief description of responsibilities	Insp	ection Team Leader / Load Rater				
Experience dates	Experience and qualifications rele	vant to	o the proposed contract; <i>i.e.</i> , "designed drainage", "designed g	irders", "designed			
(mm/yy–mm/yy)	intersection", etc. Experience date	s shou	Ild cover the years of experience specified in the applicable M	PR(s).			
11/22-Ongoing	bridges. Was responsible for training, ch	necking	Load Rating, OH – Load rater performing <u>LRFR and LFR ratings of</u> and QA of numerous steel beam and concrete slab bridges. Completed the res rated in BrR using line girders calibrated for live load distribution facto	rating of a bridge with multiple			
08/21	2020 Cardinal Power Plant Bridge Inspection, Jefferson County, OH – Project manager and team leader for the in-depth, element inspections of two bridges over multiple railroads on power plant property. The Main Bridge was a two-span prestressed concrete I-Beam bridge on integral abutments behind soil nail walls. Tidd bridge was a seven-span, riveted two-girder bridge that spanned the same railroads and portions of maintenance facilities located on plant property. The element level reports were completed and submitted within 30 days of beginning the inspections.						
11/20 - 12/20	Franklin County Engineer's Office, General Engineering Services Contract, 2020 Inspections, Franklin County, OH – Project manager and team leader for the routine inspection of 54 off-system structures in three townships, along with the delivery of inspection reports and photos into the new AssetWise program. He led three inspection teams to efficiently complete the NBIS inspections in five field days. Draft reports were completed in AssetWise and submitted for review within two weeks of completing the field work. Final reports were approved within a week of receiving comments.						
11/19 - 12/20	Contract No. H.012485.1 Off-system I bridges (COPCSS and COSLAB with co	Load Rancrete of ges which	ating, Statewide, LA (DOTD) – Bridge inspector responsible for the site or timber piles). He documented current conditions and geometric data for ch included the performance of load rating analysis of the superstructu	assessments for 50 off-system r the load ratings. Served as the			
12/18 - 01/19	WV and Belmont County, Ohio – Inspe	ction te	Ohio Department of Transportation, I-70 Bridges Design/Rehabilitati am leader for the expedited inspection/evaluation of 7 bridges (steel girders) d in the rehabilitation of assigned structures.	on Inspections, Ohio County,). Responsible for identification			
11/18 - 12/18	West Virginia Department of Highwa year-old, three-span, riveted through true lower chord connections for the entire flu- of the truss lower chords and stringers lo	ys, Dist ss over oor syst oking fe	trict 9, Kanawha Falls Emergency Inspection, Fayette County, WV - the Kanawha River. Team leader tasked with performing an emergency tem to verify their condition and advise if additional emergency repairs we for critical findings that might require immediate repairs or preclude the brid	inspection of the floor beam to ere required. Led an inspection dge from reopening.			
09/18 & 01/19			8, HAM-50-2180N Inspection, Hamilton County, OH - Team leader for evel inspections of steel truss bridges, deck arches with plate girder ap				

09/18 - 10/18	Ohio Department of Transportation, District 2, LUC-280 VGCS Inspection, Toledo, OH – Team leader for the routine and element level inspections of this cable stayed and concrete segmental box girder bridge consisting of a series of nine bridges, including ramps, carrying I-280 over the Maumee River. He performed QA/QC checks of the inspection reports.
09/18	Ohio Department of Transportation, District 8, HAM-50-0376L Inspection, Hamilton County, OH - Team leader for the District 8 bridge inspection task order to include the fracture critical element level inspections of steel through truss bridges.
09/17 & 01/19	VAR-D08 Fracture Critical Bridge Inspections No. 2017-2, Fort Ancient and Oregonia, OH - Participated in the Routine Element Level inspection of truss bridges and post-tensioned bridges in ODOT District 8. Inspected the abutments, piers, floor beams and all lower chords, as well as participated in the review of bridge inspection reports.
09/17 & 12/17	Ohio Department of Transportation, District 8, WAR-71-1514L/R Inspection, Warren County, OH – Team leader for the routine and element level inspection of the Post Tensioned, CIP Segmental boxes on the Jeremiah Morrow Bridge and substructure elements.
07/17	West Virginia Department of Transportation - Division of Highways, 5th Street Bridge, Wood County, WV – Bridge inspector for the performance of an In-Depth inspection of this bridge that consists of a 350' simple span riveted Warren Through Truss and 13 steel wide flange beam spans. The bridge is supported by reinforced concrete abutments and piers, along with steel bents on concrete pedestals. The bridge carries WV Route 14, which is a heavily travelled State Route, over the Little Kanawha River and CSX Railroad.



Firm employed by Name Craig Ja	TRC Engineers, Inc.	Years of experience with this employer	1.5				
Title Bridge E	ngineer	Years of experience with other employer(s)	22				
Degree(s) / Years	/ Specialization	B.S. / 1999 / Civil and Environmental Engineering					
Active registration	n number / state / expiration date	#PE.0068866 / OH / 12-31-23					
Year registered	N/A Discipline	Other Pertinent Training / Certifications FHWA / NHI #130053 - Bridge Inspection Refresher Training, 2022 FHWA / NHI #130055 - Safety Inspection of In-Service Bridges, 2005 FHWA / NHI #130078 – Fracture Critical Inspection Techniques for Steel H	Bridges, 2017				
Contract role(s) / 1	brief description of responsibilities	Bridge Inspector / Load Rater					
Experience dates	Experience and qualifications relevant	ant to the proposed contract; i.e., "designed drainage", "designe	d girders", "designed				
(mm/yy–mm/yy)		should cover the time specified in the applicable MPR(s).					
11/22 - 08/23	Reviewed completed ratings of bridges.	wide Load Rating, OH – Load rater performing <u>LRFR</u> and LFR ratings of s					
04/22 - 05/22		arkersburg, WV – Bridge Inspector while using aerial access equipment to in er) components along with the bearings and piers.	nspect the superstructure main spar				
09/21	ODOT, HAM-71-0134 Lytle Tunnel NTIS Inspection – Team leader for a condition and element level inspection of the liner, headwalls, approach wingwalls, and structural components of facility chambers in the 855-foot long, 3-barrel tunnel of I-71 below Lytle Park in Cincinnati.						
04/21 - 05/21	GDOT, Cable Stay Bridge On-Call Services – Project engineer during the production of inspection procedure manuals for two cable stay bridges in the Georgia structure inventory. He assisted in authoring the inspection manuals for the Talmadge Memorial Bridge in Savannah and the Sidney Lanier Bridge in Brunswick.						
02/21 - 03/21	Indiana Department of Transportation, I-74 Emergency Bridge Repair - Crawfordsville District - Engineer of Record for a damage inspection, repair design, and bridge details to correct vehicular impact on the steel beam superstructure of Wesley Station Road over I-74.						
01/20 – 12/21	span Ohio River bridges. The structures i Kentucky), the Carroll Cropper Bridge (Bridge (13th Street Ashland, Kentucky). I cables , based on as-inspected condition we managed the execution of the project, cool directed inspection staff, and updated the	ridge Inspection Services – Project manager and inspection lead for the fract in the contract are the historic Roebling Suspension Bridge (Cincinnati, Ohio Lawrenceburg, Indiana), the Ben Williamson Bridge (12th Street Ashland, He led the <u>load rating evaluation</u> of the Carroll Cropper Bridge, a complex tion thile using <u>AASHTOWare BrR, LRFR and other software</u> . Also authored bordinated with railroads and a traffic control subconsultant, communicated we condition and element level records in the state inventory database (BrM). He hance recommendations, including documentation of fatigue cracks verified ve	b), the Irvin Cobb Bridge (Paducah Kentucky), and the Simeon Willis ed arch thru truss with suspenden the capacity evaluation report. He with Cabinet and District engineers led or reviewed deliverable reports				
10/19 - 10/20	South Carolina Department of Transportation, Bridge Load Ratings, SC - Task Leader and Quality Control Reviewer for a team of analysts during the <u>load rating of more than 200 bridges</u> in two South Carolina districts using <u>AASHTOWare BrR and LRFR method</u> . Work included the production of load rating documentation as engineer-of-record for the state bridge management system.						
04/13; 04/17		Bridge Inspection Services – Team leader for a fracture critical inspection ts of ten main simple-span thru truss units with a maximum span length of 7					

06/12; 06/16	KYTC, Ohio River Fracture Critical Bridge Inspection Services – Team leader for a fracture critical inspection of the 5,746-foot-long Clark Memorial Bridge (Louisville, Kentucky). The bridge consists of two adjacent 3-span continuous thru truss superstructure units with a maximum span length of 820 feet across the Ohio River.
02/12 - 04/12	Highland County Engineer's Office / County Engineers Association of Ohio (CEAO), Highland County, OH - Lead Analyst for the <u>load ratings</u> using Virtis for 26 off-system bridges which included rolled steel beam, reinforced concrete slab, and prestressed box beam structure types for the Highland County Engineer's Office.
09/11-03/12	Brown County Engineers Office, Truss Load Ratings - Brown County, OH - Lead inspector and structural analyst for the condition evaluation and documentation of deterioration on 10 pony truss structures maintained by the County Engineer's Office. Assessments included field measurements to verify as-built configuration and current deterioration of steel gusset plates. He also processed the condition information to perform a capacity evaluation of the truss members and gusset plate connections.
08/11 - 10/11	Ohio Department of Transportation, District 8, CLI-71-4.26, SR 380 over IR 71 Bridge Rehabilitation, Wilmington OH - Lead Bridge Inspector, Designer, and Load Rating Analyst for a deck replacement on the existing steel plate girders of SR 380 over IR 71 with semi-integral and composite conversion.
07/11	Kentucky Transportation Cabinet, Inspection of Ohio River Bridges - Inspection Team Leader on the Simon Kenton Memorial Bridge (US 62/68) to assess fracture critical members, measure gusset plate deficiencies, and appraise the entire suspension bridge for condition rating and repair/maintenance recommendations.
03/10; 04/11; 02/12	City of Middletown, Bridge Inspection and Analysis, Middletown, OH - Lead Engineer for the structural inspection, scour inspection, and <u>load rating</u> of 20 off-system bridges and large culverts in the municipality. Reviewer of annual city bridge inspections.
11/07 - 04/08	Ohio Department of Transportation, District 6, FRA-23-12.11, 4th Street Bridge over the NS Railroad and I-670, Columbus, OH - Inspection Team Leader and load rater for the seven-span bridge which consists of dog-legged steel beams, varying substructure skews, left and right horizontal curves with super-elevation reversal, and cantilevered structural concrete beams on abutment wingwalls.
07/15 - 11/15 07/11 - 11/11 07/09 - 11/09	ODOT District 8, Steel Pier Cap Inspections – Team leader for the fracture critical inspection of 51 structural steel pier caps on 13 different bridges in Hamilton County. Inspections included an evaluation of fatigue prone details and section loss measurement for capacity evaluation. He also produced condition rating reports for the fracture critical components and performed load ratings on several of the bridge pier caps.
08/08	KYTC, Ohio River Fracture Critical Bridge Inspection Services – Team leader for a fracture critical inspection of the 2,497-foot-long John F. Kennedy Bridge (Louisville, Kentucky) which consists of a 5-span continuous thru truss superstructure with maximum span length of 700 feet across the Ohio River.



Firm employed by	TRC Engineers, In	IC.					
Name Cody Shields, P.E.				Years of experience with this employer	11		
Title Civil Eng	gineer			Years of experience with other employer(s)	0		
Degree(s) / Years			B.S.	/ 2011 / Civil Engineering			
Active registration	n number / state / expi	ration date	#PE.	0044457 / LA / 9-30-2024			
Year registered	Oth			Engineering • Pertinent Training / Certifications A / NHI #130056 - Safety Inspection of In-Service Bridges for Profession	al Engineers, 2019		
Contract role(s) / 1	brief description of rea	sponsibilities	Brid	ge Inspector / Load Rater			
Experience dates (mm/yy–mm/yy)	Experience and qualifications relevant to the proposed contract; <i>i.e.</i> , "designed drainage", "designed girders", "designed intersection", etc. Experience dates should cover the years of experience specified in the applicable MPR(s).						
03/23 - 08/23	TDOT NBIS Bridge Inspections – TDOT Contract E2456 (3 Work Orders) – Team Leader and/or Bridge Inspector for the routine inspections of off- system bridges in both Shelby Co. and Gibson Co. in Tennessee. Inspections performed using InspectX software. Bridge superstructures included precast channel slabs (PCCS), concrete box beams and prestressed I-beams. Substructures included concrete abutments, pile bents, and pier systems. Inspections also included multi-span concrete box culverts.						
11/22 - 12/22	ODOT PID 116592/TRC 491195 – Statewide Load Rating, OH – Load rater assigned to perform <u>LRFR</u> and LFR ratings of steel beam and plate girder bridges with multiple doglegs on a curved alignment with variable flares pegged to a BrR line girder.						
2/20 - 09/20	Contract No. H.012485.1 Off-system Load Rating, Statewide, LA (LADOTD) – Load rater for off-system bridges which included both COSLAB and COPCSS bridges. Reviewed inspection reports and performed analysis on bridge elements using <u>BrR/LRFR</u> (Superstructure) and STAAD (Substructure) software.						
11/17 - 12/17	Contract No. H.009730.5 Retainer Contract for Inspection of Complex Bridges, Statewide, LA (LADOTD) – Bridge inspector for the in-depth inspection of the Judge Perez vertical lift bridge. Documented deficiencies observed on the concrete bridge deck, parapets, open-grid metal deck (lift section), abutments, and bents						
10/17 - 11/17	Off-System Timber Bridge Inspections (MDOT) - Bridge inspector for over 40 bridges in three counties in southwest Mississippi. All bridges were either partially or fully comprised of timber components: piling, pile caps, girders, decking, and railing. Inspections included noting any elements that were deteriorated or damaged, taking detailed photographs of the condition of the bridge and all elements, and documenting everything in a report furnished to the client.						



Firm employed by	TRC Engineers, I	nc.					
Name Michael Schrepfer				Years of experience with this employer	17.5		
Title Inspection Team Leader / Practice Safety Lead				Years of experience with other employer(s)	15		
Degree(s) / Years			M.E	. / 1998 / Coastal Engineering; B.S. / 1990 / Ocean Engineerin	g		
Active registration	n number / state / exp	iration date	N/A				
Year registered N/A Discipline			FHW FHW FHW LA D LA D	r Pertinent Training / Certifications A / NHI #130055 - Safety Inspection of In-Service Bridges, 1994 A / NHI #130053 – Bridge Inspection Refresher Training, 2019 A / NHI #130078 – Fracture Critical Inspection Techniques for Steel Bridg A / NHI #130092 – Fundamentals of LRFR for Bridge Superstructures, 20 OTD / LTAP – Inspection of Local Bridges, 2022 OTD Movable Bridge Inspection Workshop, 2012 SA - Traffic Control Supervisor, 2020			
Contract role(s) / 1	brief description of re	esponsibilities	Brid	ge Inspection Team Leader (Site Visits) / Plan and Document	Retrieval		
Experience dates	Experience and qua	lifications relev	ant to	the proposed contract; <i>i.e.</i> , "designed drainage", "designed gi	rders", "designed		
(mm/yy–mm/yy)				ld cover the years of experience specified in the applicable MI			
02/23 - 08/23	Routine and Special Inspections, Tennessee DOT, statewide, TN – Team leader responsible for searching for previous inspection and as-built drawing files, development of safety plans, and performance of inspections using InspectX with iPad. led inspections of 135 bridges (steel box girders with confined space, concrete and steel box beam/girder, timber beam, and concrete culverts). Wrote inspection reports.						
02/23 - 04/23	DOE – Team leader - searched for previous inspection and as-built drawing files, developed safety plans, led inspections of 35 bridges and culverts, wrote inspection reports.						
03/22 - 04/22	US 50 over Kanawha River, Parkersburg, WV (WVDOH) – Team leader for the routine bridge inspection of a tied-arch and girder bridge. He led the internal box girder, superstructure, and substructure inspections. He also supervised safety operations.						
11/21 - 1/22	S.P. No. 44-17264; H.011965.5, LA 47 over IWGO, Bridge Rehabilitation, New Orleans, LA (DOTD) – Senior team leader responsible for performing the bridge cleaning/washing and inspection for the rehabilitation design of this tied arch/deck truss bridge. He led the cleaning operations and subs using a manlift, platform truck, snooper truck, and safety boat. He supervised traffic control and safety operations, and wrote the inspection and cleaning reports. Searched bridge plans and inspection reports from the DOTD Plans and Microfilm Rooms and DOTD AssetWise.						
03/16 - 9/22	inspections of the follo truss), I-310 Luling (ca lift), and LA 39 Claibor bucket boat, marsh bug and SI&A data. Searche	wing complex brid able stayed/box gir rne over IHNC (ve gy, and snooper. ed for bridge plans	lges: der), U rtical Wrote and in	Bridge Inspections (DOTD) – Senior team leader for multiple cycle elem US 90 B (GNO 1 & 2), I-10 Mississippi River and I-10 Calcasieu River JS 90 over IHNC (vertical lift), LA 1 over Company Canal (vertical lift) lift through truss). Led inspection teams and operated equipment that in inspection reports in DOTD AssetWise format, developed element level of spection reports in the DOTD Plans and Microfilm Rooms, DOTD's Asset plans and schedules for multiple inspection teams. Submitted traffic contr	bridges (cantilever and deck), LA 23 over ICCW (vertical cluded a bucket truck, manlift, quantities and condition states, tWise system, and in person at		

03/21 - 10/21	Broadmore Bridge Assessment and Special Haul Load Rating, Lake Arthur, LA (Private Client) – Team leader responsible for planning and performing the load rating assessment of an off-system concrete slab bridge for special hauling vehicles. He searched bridge plans and inspection reports from the DOTD's AssetWise system and City/Parish Departments of Public Works. Developed the project safety plan, logistics, and inspection schedule for the inspection team. Performed the inspection in accordance with current FHWA BIRM, AASHTO MBE, and AASHTO Manual for Bridge Element Inspection. He wrote the pre- & post-assessment reports with load rating and special haul vehicle movement recommendations.
10/19 - 04/21	Contract No. H.012485.1 Off-system Load Rating, Statewide, LA (DOTD) – Senior team leader responsible for the load rating assessment of 426 off- system bridges. He searched bridge plans and inspection reports from the DOTD's Plans and Microfilm Rooms, DOTD's AssetWise system, and in person at DOTD Bridge Maintenance and City/Parish Departments of Public Works. Developed the project safety plan, logistics, and inspection schedules for the inspection teams. He uploaded all bridge load rating reports and supporting documentations to the DOTD's ProjectWise and AssetWise systems. Performed site assessments for bridge superstructures (concrete and steel) and substructures (timber and concrete piles), as well as managed traffic control and safety for inspection teams
02/16 - 12/19	44-4920 (H.009859.5 Complex Load Rating and Inspection, Statewide, LA (DOTD) – Senior team leader for the load rating assessments performed for 15 complex truss and movable bridges over major waterways: steel tied arch truss bridge LA 47 over IWGO, the riveted plate girder and deck truss Riverbound Expressway (US 90B), three vertical lift bridges , one bascule bridge , and four swing bridges . He planned, coordinated with state and local agencies (DOTD, USCG, LSP) and managed traffic control, special aerial access, and rope access teams; developed the safety plans; and led the inspection teams. Assessments involved his use of special access equipment and boats; confined space entry; and coordination for bridge openings with marine traffic. He directed document searches and the collection of as-built plans, bridge inspection reports, and other historical documents in hard copy and electronic format. He performed QA/QC of all inspection reports.
06/19 - 08/19	South Carolina Department of Transportation, Bridge Load Rating and Evaluation Services, District 4, SC – Team leader for the NBIS and load rating assessment of 60 off-system bridges consisting of concrete superstructures with concrete and timber substructure elements. Assessments were performed using the AASHTO Manual for Bridge Evaluation (MBE).
02/18 - 04/18	Contract No. 4400010099 (H.009859.5), Complex Off-system Bridges Rating and Evaluation, Statewide, LA (DOTD) – Senior team leader for the assessment and load rating of an off-system truss bridge over the Tensas River. He managed the inspection teams, project safety, subcontractors for traffic control, safety/inspection boat, and aerial access. Wrote the assessment report.
08/17 - 05/18	Office of State Aid and Construction, Bridge Inspection and Load Rating, IDIQ Master Contract, Statewide, MS - Senior team leader for the routine NBIS inspection and load rating assessment of 160 timber and concrete off-system bridges. He searched bridge plans and inspection reports from various state databases; planned inspections, safety and work schedules; and led multiple inspection teams during the inspections. Developed all inspection documents and photographs. He performed QA/QC of the inspections and reports performed by other team leaders, and entered the inspection results, reports, SI&A data, and load rating data into the InspectTech system.
09/14 - 12/14	Department of Energy Bridge Inspections and Load Ratings, Bayou Choctaw, Plaquemine, LA – Senior team leader for the in-depth NBIS inspections of a Bailey Bridge (steel truss), two concrete beam bridges, and one timber bridge. He planned the logistics, scheduling, and inspection operations. He led the field inspections, inspection report writing, SI&A data, and repair recommendations.
06/17 - 12/17	ODOT, LUC-280 Veterans Glass City Skyway Bridge over Maumee River, Toledo, Ohio – Team Leader for the Routine and Element Level inspections of this cable stayed main span and post tensioned concrete box girder approach span bridges. He supervised the concurrent use of four inspection teams, special aerial access equipment, and traffic control. He developed elements, quantities, and condition states for the nine bridges and wrote the InspectTech report with CAD and field drawings. He also managed project safety.
05/17-06/17 06/15 - 12/15 10/14 - 12/14 10/11 - 12/11	WVDOH, Statewide, WV – Team Leader for in-depth inspections of the Admiral T.J. Lopez Bridge over Kanawha River, 5th Street Bridge over KanawhaRiver (thru truss), 35th & 36th Street Bridges over Kanawha River (fracture critical girders) and four ramp bridges. His inspections involved the concurrentuse of special access equipment such as snoopers and manlifts. He supervised multiple inspection teams and traffic control. He developed the elements,quantities, SI&A coding and condition states, and wrote the inspection reports in InspectTech for each bridge. Also managed the project safety and trafficcontrol operations.

Firm employed by TRC Engineers, Inc.						
Name Benjamin Medlin				Years of experience with this employer	8	
Title Bridge In	nspector			Years of experience with other employer(s)	0	
Degree(s) / Years / Spec	ialization		N/A	Α		
Active registration numb	per / state / expiratio	n date	N/A	A Contraction of the second seco		
Year registered	ear registered N/A Discipline		Other Pertinent Training / Certifications FHWA / NHI #130055 - Safety Inspection of In-Service Bridges, 2017 FHWA / NHI #130053 – Bridge Inspection Refresher Training, 2022			
Contract role(s) / brief d	escription of response	sibilities	Bric	dge Inspector		
Experience dates				to the proposed contract; <i>i.e.</i> , "designed drainage", "designed g		
(mm/yy–mm/yy)	intersection", etc.	Experience date	es shoi	uld cover the years of experience specified in the applicable M	IPR(s).	
12/21; 03/23; 02/23	Contract No. 44-13321; H.09730.5 Retainer Contract for In-depth Bridge Inspections (On-System), Statewide (DOTD) – Bridge inspector responsible for a routine and element level inspection of the I-10 over Calcasieu River bridge (12/21), US 190 over Mississippi River bridge (3/2023), and I-310 Luling Bridge (2/23). He inspected the deck, steel superstructure (girders, floor beams, stringers, bearings), steel substructure (bent caps, columns, diagonal bracing, gusset plates) using aerial access equipment. He wrote the inspection report defect list and updated the drawings for the defects.					
02/20	Contract No. H.012485.1 Off-system Load Rating, Statewide, LA (DOTD) – Bridge inspector responsible for the site assessments of 50 off- system bridges (COPCSS and COSLAB with concrete or timber piles). He documented current conditions and geometric data for the load ratings.					
07/19 - 10/20	South Carolina Department of Transportation, Bridge Load Rating and Evaluation Services, Statewide, SC – Bridge inspector for the NBIS and load rating inspections of 70 on-system and off-system bridges consisting of concrete and steel superstructures with concrete and timber substructure elements and concrete box culverts. Inspections were performed using the AASHTO Manual for Bridge Evaluation (MBE). He documented current conditions, defects/damage, and geometric data for the load ratings.					
06/19	Honbarrier Drive over Rocky Creek Bridge Assessment and Load Rating, Greenville, SC (private client) – Bridge inspector responsible for the load rating site assessment of this 3-span prestressed concrete channel beam off-system bridge. The bridge had been closed to traffic. The assessment was performed using the AASHTO Manual for Bridge Evaluation (MBE). He document current conditions, defects/damage, and geometric data for the load ratings.					



Firm employed by	TRC Engineers, I	nc.						
Name Brittany Smith, P.E.				Years of experience with this employer	5.5			
Title Civil Engineer				Years of experience with other employer(s)	3			
Degree(s) / Years			B.S.	/ 2015 / Civil Engineering				
Active registration	n number / state / exp	iration date	#024	1915 / WV / 12-31-2024				
Year registered	2021	Discipline		Engineering				
				Other Pertinent Training / Certifications				
				A / NHI #130056 - Safety Inspection of In-Service Bridges, 2018 A / NHI – LRFD For Highway Bridge Superstructure, 2016				
Contract role(s) / 1	brief description of re	sponsibilities		Bridge Inspector / Load Rater				
Experience dates				the proposed contract; <i>i.e.</i> , "designed drainage", "designed gined gine in the proposed contract; <i>i.e.</i> , "designed drainage", "designed gine in the proposed contract; <i>i.e.</i> , "designed drainage", "designed gine in the proposed contract; <i>i.e.</i> , "designed drainage", "designed gine in the proposed contract; <i>i.e.</i> , "designed drainage", "designed gine in the proposed contract; <i>i.e.</i> , "designed drainage", "designed gine in the proposed contract; <i>i.e.</i> , "designed drainage", "designed gine in the proposed contract; <i>i.e.</i> , "designed drainage", "designed gine in the proposed contract; <i>i.e.</i> , "designed drainage", "designed gine in the proposed contract; <i>i.e.</i> , "designed drainage", "designed gine in the proposed contract; <i>i.e.</i> , "designed drainage", "designed gine in the proposed contract; <i>i.e.</i> , "designed drainage", "designed gine in the proposed contract; <i>i.e.</i> , "designed drainage", "designed drainage", "designed drainage", "designed gine in the proposed contract; <i>i.e.</i> , "designed drainage", "designed drainage", "designed drainage", "designed drainage", "designed gine in the proposed contract; <i>i.e.</i> , "designed drainage",	rders", "designed			
(mm/yy–mm/yy)				ld cover the time specified in the applicable MPR(s).	<i>,</i> , , , , , , , , , , , , , , , , , ,			
04/22 - 07/22	Blennerhassett Island	Bridge, Parkers	burg, V	WV (WVDOH) - Bridge inspector for the routine inspection of a tied ar	ch bridge over the Kanawha			
04/22 - 07/22	-			evelop element level data, and update the SI&A coding.				
	Franklin County Engineer's Office, General Engineering Services Contract, Franklin County Bridge Inspection, Franklin County, OH – Bridge							
11/20	inspector for the routine inspections and updating of inspection reports for 54 off-system bridges in three townships. She inspected the steel beams, concrete slabs, and concrete I-beams for single and multi-span bridges on an accelerated schedule. She wrote the inspection reports in AssetWise.							
	Contract No. H.012485.1, Load Rating of 426 Off-System Bridges, Statewide, LA (LADOTD) - Load Rating Engineer for the concrete slab							
02/20 - 06/20			tware	and LRFR, and timber pile substructure units using Excel and STAAD.	She generated the ratings and			
	reports for over 50 bridg	-						
10/19 - 03/20	South Carolina Department of Transportation, Bridge Load Rating, Statewide, SC - Load Rating Engineer using <u>AASHTO BrR and LRFR</u> for concrete slab superstructures, load rating substructures, issuing of posting recommendations, and updating the NBI data.							
	West Virginia Department of Highways, District 6, I-70 Bridge Rehabilitation, Ohio County, WV - Bridge inspector for the rehabilitation of 26							
10/10 07/10	bridges along Interstate 70. She inspected these bridges to determine the required types of repairs needed. She load rated each bridge according to current							
10/18 - 07/19	design standards and determined strengthening upgrades necessary for the Greenwood Cemetery bridge. She checked the load ratings for the Elby's							
	bridges.							
	West Virginia Department of Transportation, District 9, Kanawha Falls Emergency Inspection - Fayette County, WV – Bridge inspector for the Kanawha Falls Bridge which is a 90-year-old, three-span, riveted through truss over the Kanawha River. Following the failure of a floor beam connection,							
	the bridge was closed to all traffic. She was tasked with participating in an emergency inspection of the floor beam to lower chord connections for the							
11/18 - 12/18	entire floor system to verify their condition and to advise if additional emergency repairs were required. She also performed a cursory inspection of the							
		truss lower chords and stringers looking for critical findings that might require immediate repair or preclude the bridge from reopening. A hands-on						
	inspection of the lower chords and floor beam to lower chord connections was conducted. She developed an inspection report outlining additional areas of concern.							



16. Staff Experience:

Firm employed by	TRC Engineers, Inc.							
Name Lisa Bro	own	Years of experience with this employer	1.5					
Title Bridge E	ngineer	Years of experience with other employer(s)	8					
Degree(s) / Years		Master of Science / 2021 / Civil Engineering						
0 ()		Bachelor of Science / 2019 / Civil Engineering						
Active registration	n number / state / expiration date	EIT 20-218-55						
Year registered	N/A Discipline	Other Pertinent Training / Certifications						
		FHWA / NHI - Safety Inspection of In-Service Bridges, 2022						
		SPRAT Level II, 2019						
	brief description of responsibilities							
Experience dates	Experience and qualifications relev	ant to the proposed contract; i.e., "designed drainage", "designed g	girders", "designed					
(mm/yy–mm/yy)		should cover the time specified in the applicable MPR(s).						
		tainer Contract for In-depth Bridge Inspections (On-System), Statewid						
07/22 - 07/22	vel inspection of the I-10 over Mississippi River (truss bridge). She inspected	the steel superstructure (girders,						
	floor beams, stringers, bearings) using rop							
04/22 - 05/22		arkersburg, WV – Bridge Inspector while using aerial access equipment and re	ope access techniques to inspect					
	 the superstructure main span (tied arch) and approach span (steel girder) components, along with bearings and piers. Cardinal Operating Company, Barge Unloader Bridge Inspections – Bridge inspector during the performance of in-depth inspections for two according to the performance of the superstructure main span (tied arch) and approach span (steel girder) components, along with bearings and piers. 							
		bridges on the Cardinal Power Plant property. The Barge Unloader 1 is a two girder, single span rolled beam bridge with a steel grid deck. The Barge						
04/22	Unloader 2 is a 3-span rolled steel beam bridge with a concrete deck, stub abutments and pile bent piers. Both bridges extended to concrete filled piers on							
	the Ohio River. Due to access limitations and the bridges being load posted, rope access was required for these inspections.							
		istrict 12, CUY-77-1121, Cuyahoga County, OH - This approximately \$70 mi						
05/22-Present		placements and widening of 7 miles of I-77 in an urban environment. Ms. Brown	n is responsible for the detailing					
	and design of retaining walls and bridges.							
		techniques to climb and inspect the following bridges:	4					
	 Prescott and Yuma, Arizona – 15 structures including culverts, steel truss, steel beam, and concrete beam bridges. Jacksonville, FL – Isaiah David Hart Bridge, US 1 Alt. and SR 228 							
05/17 - 08/17	 Jacksonville, FL – Isaian David Hart Bridge, US 1 Alt. and SK 228 Westfield, MA – Westfield River Bridge, I-90 							
05/18 - 08/18	 Cincinnati, OH – I-71 at Reading Road 							
05/19 - 08/19	 Oklahoma, statewide – 40 bridges including concrete beam, steel truss, and timber. 							
	 McKean, PA – Kinzua Bridge (steel truss rail bridge) 							
	Wrote inspection reports and developed sketches for each bridge. Also operated aerial access equipment (bucket truck and scissor lift).							
		/Staging Manager - Over The Edge Global - Facilitated communication						
05/14 - 01/22	managers, and the Site Safety Supervisor; inspected gear kits while managing the opening and closing inventory; supervised the rig training area and							
	assisted in main rappel rigging from a bui	assisted in main rappel rigging from a building roof; and geared and trained up to 90 rappelling participants a day.						

17. Firm Experience:

Firm name	TRC Engineers, Inc.		Past Performance Evalu	ation Discipline(s) Bridge	
Project name	426 Off-system Load Ratings, LADOTD Districts 04 and 05			Firm responsibility (prime or sub?)	Prime
Project number	H.012485.1	Owner's name	Louisiana Department of	of Transportation and Development	
Project location	Various Parishes (16) in Districts 04 and 05 Owner's Project Manager Ryan Owens, P.E.				
Owner's address, p	Owner's address, phone, email 1201 Capital Access Road, Baton Rouge, LA 70802-4438 (225) 379-1070 Ryan.owens@la.gov				
Services commenced by this firm (mm/yy) 11/19 T			tal consultant contract cos	st (\$1,000's)	\$2,789
Services completed by this firm (mm/yy) 01/21			st of consultant services p	provided by this firm (\$1,000's)	\$2,171

Describe the project including the firm's role and members involved. (Highlight staff to be used in this proposal.)



Project Relevance:

- Site assessments
- Load ratings
- AASHTOWare BrR, LRFR and FE Modeling
- Use of LA DOTD ProjectWise and AssetWise systems
- Develop repair recommendations

TRC performed assessments and load ratings of 426 off-system bridges in 16 parishes. The objective of this contract was to perform a load rating based on the current conditions of each bridge and report our critical findings based upon field assessments. The assessments and load ratings were performed in accordance with the current AASHTO Manual for Bridge Evaluation (MBE); the current LA DOTD Bridge Design and Evaluation Manual; the current FHWA Bridge Inspector's Reference Manual (BIRM); and the current National Bridge Inspection Standards. The 426 bridges included 193 COPCSS (Concrete Precast Slab Units) structures supported by timber piles, 158 COSLAB (Concrete Slab) structures supported by concrete piles, and 75 other structures ranging from concrete and steel girder to railroad flatcars and culverts.

TRC deployed multiple assessment teams and load rating engineers on-site to conduct the assessments and determine changes in current conditions with the previous LA DOTD inspection reports. Significant coordination was required with the various DOTD Districts, Parishes, and local agencies to obtain existing plans, standard plans, and other relevant documents such as previous repairs/rehabilitations. Upon completion of the assessments, load ratings were performed on the superstructure and substructure elements of the bridges using AASHTOWare BrR, Load Resistance Factor Rating (LRFR) and finite element modeling software. The live load ratings included HL-93, SHV, and emergency vehicle loads. Updated load ratings were completed for bridges that were repaired by the owners. The LA DOTD was provided with written load rating reports and supporting calculations and files for each bridge which were uploaded using the LA DOTD's ProjectWise and AssetWise systems.

TRC's assessment teams identified several critical findings during the assessments. DOTD's key personnel were notified of these findings which ensured District and Parish forces were able to effect repairs to prevent closures of these bridges. This project was performed and completed under an accelerated schedule to meet LA DOTD and FHWA requirements with all deliverables submitted ahead of schedule and underbudget.

STAFF TO BE USED IN THIS PROPOSAL: Durk Krone, Xianzhi Liu, Mark Castay, Dong Wang, Michael Schrepfer, Denny Dispennette, David DeLeeuw, Chris Hay, Cody Shields, Brittany Smith, Ben Medlin

<u>17. Firm Experience:</u>

Firm name	TRC Engineers, Inc.			Past Performance Evalu	Past Performance Evaluation Discipline(s) Bridge		
Project name	Retainer Contract for Complex Bridge Rating On-System			Rating On-System Trusses	Firm responsibil	lity (prime or sub?)	Prime
	and other C	omplex Brid	ges				
Project number	400004920		Owner's name	Louisiana Department	of Transportatior	and Development	
Project location	Statewide Owner's Project Manager William Metcalf, P.E.			8.			
Owner's address, p	hone, email	1201 Capita	l Access Rd., Rn	n 405-T, Baton Rouge, LA 70	0802-4438 (225)) 379-1741	
	William.Metcalf@LA.gov						
Services commenced by this firm (mm/yy) 03/15 Total consultant contract cost (\$1,000's) \$4,784				\$4,784			
Services completed by this firm (mm/yy) 03/20			Cost of consultant services	provided by this	firm (\$1,000's)	\$3,532	

Describe the project including the firm's role and members involved. (Highlight staff to be used in this proposal.)



Project Relevance:

- Site assessments
- Load ratings (complex and movable bridges)
- AASHTOWare BrR, LRFR and FE Modeling
- Use of DOTD ProjectWise and AssetWise systems

TRC performed engineering services associated with the completion of complex bridge ratings (on-system trusses and movable bridges) for statewide projects under separate Task Orders. Services being completed under this 5-year contract include: **Plan and Document Retrieval and Review**; **Bridge Site Assessments** for the purpose of producing the most accurate rating by accounting for field conditions and gathering field measurements to assist with load rating and record recovery; performance of a **System Structural Modeling and Analysis** of each assigned bridge to determine dead load and live load effects in the members, including the use of a three-dimensional structural model for complex bridges when required; **Load Rating** of each assigned bridge based on present condition, capacity and loading using AASHTOWare BrR software, with all structures being rated using the load rating provisions in the current AASHTO Manual for Bridge Evaluation and the LA DOTD Policies and Guidelines for Bridge Rating and Evaluation to include developing the influence lines; HL-93, SHV and EV live loads; **Peer Review Ratings**, other reviews of ratings performed by others; Quality Assurance reviews of all load ratings. The bridges assigned to TRC under the three Task Orders included the following:

- Bridge over Bayou Teche at Adeline (swing)
- LA 47 Gulf Intracoastal Waterway (tied arch/deck truss)
 LA 319 Intracoastal Canal Bridge (bascule)
- LA 27 over Intracoastal Waterway Bridge (vert. lift)
- LA 657 over Bayou LaFourche (vert. lift)
- Local Road over Bayou Terrebonne (swing)
- LA 1 Bridge over Atchafalaya River (truss)
 LA 319 Intracoastal Canal Bridge (bascule)
- LA 654 over Bayou LaFourche (vert. lift)
- LA 83 over Patout Bayou (swing)
- US 90 Business (deck truss / plate girder)
- I-220 (EB & WB), Ramp EN, SE, and WN (segmental, cast-in-place post-tensioned, bent caps)

TRC performed QA of load ratings for our sub-consultants: Charenton Bridge, Jackson Street Bridge, West Middle Pearl River Bridge, and LA 2 Millers Bluff.

STAFF TO BE USED IN THIS PROPOSAL: Durk Krone, Xianzhi Liu, Michael Paul, Mark Castay, Dong Wang, Michael Schrepfer, Nichole Caiazzo







<u>17. Firm Experience:</u>

Firm name	TRC Engineers, Inc.		Past Performance Evaluation Discipline(s) Bridge		
Project name	Off-system Complex Load Rating		Firm responsibility (prime or sub?) Sub		
Project number	4400010099	Owner's name	Louisiana Department of Transportation and Development		
Project location	Caddo Parish, LA		Owner's Project Manager Russell Coco, Jr., P.E.		
Owner's address, p	Owner's address, phone, email 9108 Interline Ave., Baton Rouge, LA 70809 (225) 927-9321 Email: jcoco@forteandtablada.com (Prime)				
Services commence	ed by this firm (mm/yy)	03/18 To	otal consultant contract cost (\$1,000's) \$202		
Services completed by this firm (mm/yy) 03/19 Cos		03/19 Co	ost of consultant services provided by this firm (\$1,000's) \$177		

Describe the project including the firm's role and members involved. (Highlight members to be used in this proposal.)



Project Relevance:

Site Assessment

- Use of AASHTOWare BrR software.
- Development of as-built CAD conformed drawings.
- QA/QC Peer Review of load ratings performed by Prime.

Bear Lake Road West over Tensas River is an off-system bridge that consists of a three-span pony truss with a concrete slab approach span at each end. No information was available from LA DOTD or the Parish regarding the construction date, design criteria, design vehicle, or as-built plans. This bridge was added to the National Register for Historic Bridges under the Design/Engineering criteria. Due to the 5-ton load posting, TRC used a Barin F450 platform truck to access and inspect the underside of the deck and floor system of the truss spans and an inspection boat to access the substructure element which included steel H-piles.

One of the tasks associated with this load rating effort was to identify and measure all structural details and develop the as-built plans for the bridge. TRC developed as-built CAD Conformed drawings from the detailed measurements taken during the load rating inspection. TRC also used AASHTOWare Bridge Rating (BrR) for load rating all truss members, truss gusset plates, truss span floorbeams and stringers, and concrete approach spans. TRC then used Mathcad to load rate truss chord splices as these components cannot be accurately analyzed in BrR.

TRC was tasked directly by LA DOTD to perform QA/QC of the Prime's load ratings.


KEY STAFF TO BE USED IN THIS PROPOSAL: Durk Krone, Michael Paul, Xianzhi Liu, Mark Castay, Michael Schrepfer



17. Firm Experience:

Firm name	TRC Engineers, Inc.		Past Performance Evaluation Discipline(s) Bridge		
Project name	I-49 North (I-220 to ML)	K Jr. Drive)	Firm responsibility (prime or sub?)	Prime	
Project number	H.003886.5	Owner's name	Louisiana Department of Transportation and Development		
Project location	Shreveport, Caddo Parish,	LA	Owner's Project Manager Paul Vaught, III, P.E	Ξ.	
Owner's address, p	Owner's address, phone, email 1201 Capital Access Road, Baton Rouge, LA 70802-4438 (225) 379-1816 Paul.VaughtIII@LA.gov				
Services commence	ed by this firm (mm/yy)	06/06 To	tal consultant contract cost (\$1,000's)	\$7,294	
Services completed	by this firm (mm/yy)	09/19 Co	st of consultant services provided by this firm (\$1,000's)	\$3,428	

Describe the project including the firm's role and members involved. (Highlight staff to be used in this proposal.)



Project Relevance:

- Load Rating
- Use of AASHTOWare BrR software.
- 3D Models Using LUSAS and Bentley RM Bridge.
- QA Reviews

TRC performed engineering design, as-designed load rating, construction services, and as-built load rating for the I-49 North – Segment K Interchange Project located in Shreveport, Louisiana. The project included a total of seven (7) structures. The Ramp EN (3,070'), SE (3,300') and WN (700') bridges consist of dual design with precast concrete segmental post-tensioned box girder and trapezoidal steel box girder superstructure alternates. TRC performed final design and as-designed load rating for the steel box girder alternate for all ramp structures and segmental concrete box girder alternate for Ramp EN.

For the segmental alternate, TRC developed 3D models for both transverse analysis and longitudinal analysis using LUSAS and Bentley RM Bridge. The load rating was performed for both the superstructure and hammerhead piers, cast-in-place concrete cantilever pier, and post-tensioned concrete straddle bents. For all the critical elements that couldn't be load rated in AASHTO BrR, TRC developed influence lines per requirements of BDEM. At the conclusion of construction, TRC also performed as-built load rating. The actual construction stage, actual post-tensioning sequence and parameters, and all of the modifications occurred during the construction that would affect load rating were incorporated to determine the final load rating for the as-built conditions.

TRC also performed QA reviews of the load rating task completed by a sub-consultant who performed final design and load rating for the Ramp SE and Ramp WN bridges.

STAFF TO BE USED IN THIS PROPOSAL: Durk Krone, Michael Paul, Xianzhi Liu



<u>17. Firm Experienc</u>	<u>e:</u>					
Firm name	TRC Engineers, Inc.		Past Performance Eval	Past Performance Evaluation Discipline(s) Bridge		
Project name	TIDD Bridge Deck Repl	acement and Loa	ad Rating	Firm responsibility (prime or sub?)	Prime	
Project number	486211	Owner's name	Cardinal Operating Con	Cardinal Operating Company / Ohio's Electric Cooperatives		
Project location	Cardinal Power Plant			AJ Loferski, P.E., Pl	MP	
Owner's address, pl	Owner's address, phone, email 306 County Route 7E, Brilliant, OH 43913 614-681-5172 jloferski@ohioec.org					
Services commenced by this firm (mm/yy) 03/2022 To			Total consultant contract co	st (\$1,000's)	\$562	
Services completed by this firm (mm/yy) Ongoing Co			Cost of consultant services	provided by this firm (\$1,000's)	\$542	

Describe the project including the firm's role and members involved. (Highlight staff to be used in this proposal.)



Project Relevance:

- Site inspection
- Load ratings
- LRFR and FEA Modeling
- Development of repair details


TRC performed an inspection of the TIDD Bridge as part of a General Engineering Services Contract for the Cardinal Power Plant. The inspection report determined that a deck replacement was recommended for continued use of the bridge through 2050.

TRC was assigned the deck replacement design and load rating of this 7-Span, 400-foot-long bridge. The structure is privately-owned and consists of two riveted, haunched, hinged plate girders framed into steel piers along with transverse floor beams and stringers. The inspection, load rating, and deck replacement/structure rehabilitation design were performed in accordance with the current AASHTO Manual for Bridge Evaluation (MBE); the current ODOT Bridge Design and Evaluation Manual; the current FHWA Bridge Inspector's Reference Manual (BIRM); and current National Bridge Inspection Standards.

TRC coordinated with multiple railroads to gain access for the bridge inspection. The results of the bridge inspection initiated both a load rating and rehabilitation plans, including deck replacement. The load rating was performed using a 3D FEA model (midas Civil) and custom spreadsheet calculations due to the structure's multiple complexities. The superstructure (main girders, floorbeams, stringers) and substructure (the columns) were both included.

TRC's inspection teams also identified a critical finding during the assessment that necessitated immediate closure of the structure. The owner's key personnel were notified of these findings which ensured a rapid response and corrective action. This project was performed to meet client construction schedule requirements with all deliverables submitted on schedule and on budget.

STAFF TO BE USED IN THIS PROPOSAL: Chris Hay, Curtis Wood, Dong Wang, Craig Jacob, Lisa Brown





TRC Engineers, Inc.

18. Approach and Methodology:

The Louisiana Department of Transportation and Development (LA DOTD) intends to retain three consultants under an Indefinite Delivery/Indefinite Quantity contract for the performance of engineering services associated with the analysis and load rating of various types of routine and complex bridges statewide. Task Orders can also include the development of schematic recommendations to improve or eliminate the current posting of a bridge, and updating existing rating files. These contracts will also include services associated with the development of a formal training course to educate the LA DOTD's load rating group in the performance of analyses on complex structures which may include concrete slab, steel plate girder, trusses of various types, railroad flatcar, movables, and segmental. Load ratings will be performed in accordance with the current AASHTO Manual for Bridge Evaluation (MBE), DOTD Bridge Design Manual (BDMs), and DOTD Bridge Design Technical Memoranda (BDTMs). For the majority of the bridges, load ratings will be performed using current AASHTOWare BrR software. Where complex structural systems are in place or a more refined analysis is warranted, alternative analysis methods will be performed to determine the load ratings similar to what is describe below under Task 3.



LA 1 over Atchafalaya River is an example of the complex structures load rated by TRC.

TRC has performed hundreds of Louisiana onsystem and off-system bridge inspections and assessments for load rating purposes, along with thousands of load ratings nationally, which has enabled our load rating engineers to become experts at knowing, interpreting, and applying all LA DOTD requirements in the BDEM, Bridge Inspection Manual, and AASHTO MBE. As a result of our experience in Louisiana and other states, TRC staff offer a superior understanding of the concrete, steel, and timber deficiencies typically encountered

in simple and complex bridges which would result in achievement of the most efficient, cost-effective ratings and technically sound results. Through our technical prowess and passion at understanding all of the intricacies/anomalies of BrR and similar analysis software packages, we have a unique and unrivaled ability to not only use this software in the accurate analysis and load rating of complex structures but to develop a formalized training course to assist the LA DOTD load rating group with the analysis of more complex structure types. Part of a bridge owner's (LA DOTD or local agency) vision is to improve or eliminate a load posting when applicable, extend a bridge's service life, and ultimately ensure the safety of the public. TRC will ensure that vision through the preparation and development of accurate load ratings and has the expertise to provide **effective** and **economical** schematic repair recommendations that improve or eliminate a posting. Depending on the scope of potential repairs, TRC can provide plan sheets when applicable.


APPROACH TO THE PROJECT

Prior to the advertisement of this RFQ, TRC met with members of the LA DOTD Load Rating Group to discuss their vision and goals for these contracts. Following that meeting and through careful consideration of the contract requirements listed in this RFQ, TRC has decided pursue this contract without the use of subconsultants based on possessing all of the needed resources and specialized technical expertise to proficiently address the scope of the load rating Group. We have worked on previous load rating projects in Louisiana for the LA DOTD and throughout the country on a project-specific as well as IDIQ Task Order basis, and offer a talented group of engineers who bring an excellent working synergy with your personnel that will heighten our efficiency and overall performance. Responsibilities will include the following:

- Project Management and QA/QC
- Task 1 Plan and Document Retrieval and Review
- Task 2 Site Visits Where Deemed Appropriate
- Task 3 Analysis and Load Rating Modeling & Analysis.
- Task 4 Training


While many of our load raters are licensed Louisiana Professional Engineers, most are also certified bridge inspectors and will be present during the site visits as required.

To deliver each Task Order (TO), our project team will be divided into sub-teams to focus on specific components of each assignment such as plan and document retrieval, site visits (as required), load rating/analysis, QA/QC, repair schematic recommendations to improve or eliminate load postings and, if required by the LA DOTD, repair plan sheets. Our staff will meet regularly to ensure proper communication and coordination, measure the progress of work products, and ensure that QA/QC procedures are being followed. A depiction of the typical workflow is shown below.



Guiding our approach will be the identification of specific areas of deterioration and addressing any structural deficiencies in an effort to extend a structure's service life through the development of recommendations for repairs and/or strengthening to increase or eliminate existing load postings where practical. We understand the economic implications to local businesses, industry, the agricultural community, and the public that closed or low postings create on vehicular routes. Our staff are adept at proposing alternate load rating methods to assess complex/uncommon framing systems as well as repair options to address major deficiencies and accommodate preventative maintenance. Individual load ratings will include a complete evaluation of the primary superstructure and substructure elements, as well as additional items that affect the dead and live loads (state legal loads, special haul vehicles, and emergency vehicles) of each bridge. Also included will be secondary temperature effects for structures that are sensitive to such influences. Should there be a need to improve the load rating or lower the posting of a selected bridge based on the above analysis and rating, we will provide the LA DOTD with schematic and narrative recommendations for strengthening and/or repair that Local Agencies can employ to keep a bridge open to traffic. TRC's local load rating engineers and bridge inspection team leaders are also prepared to respond to emergency load rating needs in the event of vehicular impact damage, natural disasters or substantial storm events and provide critical findings during a scheduled routine or special inspection. If a bridge is recommended for closure, TRC will provide recommendations as part of the load rating reports (where appropriate) for immediate repair(s) to keep the bridge open to traffic.

The schedule below depicts the progress of a typical load rating project along with its specific tasks, milestones, and deliverables. The timeline is flexible, with multiple TRC teams being available to accelerate the schedule and/or complete a higher volume of load ratings within each issued task order as needed.



WORK METHODOLOGY

TRC's methodology will begin with the development of a scope of work proposal and schedule for each Task Order that will include all pertinent services listed under Tasks 1, 2, 3, and 4. Upon approval by the LA DOTD, the work will be executed to completion in a timely manner which is consistent with the approved schedule.

TASK 1. - Plan and Document Retrieval and Review: TRC's load rating engineers and team leaders are well-acquainted with the various methods for obtaining the necessary documents for a bridge and have done so for a variety of inspection, design, and load rating projects. Typical locations that serve as a repository for such documents and have been interfaced with on past similar assignments include:

- LA DOTD Bridge Maintenance Section 51
- LA DOTD Bridge Design Section 25
- LA DOTD Plans Room
- LA DOTD AssetWise
- LA DOTD ProjectWise
- LA DOTD District Offices
- Municipal/parish offices
- Fellow engineering firms and/or previous rating engineer, design engineer, etc.
- Entity who constructed the structure and/or fabricators listed on shop drawings and other documentation.

Upon completion of the retrieval effort, all accumulated inspection reports, load rating reports, as-built plans and local bridge knowledge will be reviewed and considered to identify unique bridge issues and conditions that will require a detailed site assessment to develop the most efficient and cost-effective load ratings. TRC will discuss our findings with LA DOTD to gain their input and support for conducting a field inspection.

TASK 2. - Site Visits: After reviewing all available documents and related bridge information for each structure listed in our Task Order, the TRC team will develop a short list of bridges that require a field inspection to complete the needed load ratings. Potential reasons for conducting a field inspection would be the lack of as-built plans, recent repairs, or the severe deterioration of key bridge members. After approval by the LA DOTD's PM, TRC will coordinate these inspections with the District Bridge Engineer and bridge owners (local public agencies) as needed. The need for special access equipment, rope access and maintenance of traffic where needed for these inspections is readily available using our internal staffing resources and existing relationships with local vendors. Inspections, which will be supervised by a licensed Louisiana professional engineer having load rating experience, will focus on the main bridge members to be load rated, previously documented areas of deterioration, and field measurements needed to complete the load ratings.

TRC Engineers, Inc.

will be incorporated into the load rating report along with appropriate photographs and detailed sketches that will be uploaded to the AssetWise database.



TRC inspected (and rated) the LA 47 IWGO bridge as part of a complex load rating IDIQ. For each project, our PM and senior team leader will develop and implement a **Site-Specific Health and Safety Plan (HASP)** and **Job Safety Analyses (JSAs)** which address medical service locations/emergency procedures, special access, working at heights, confined space, traffic control, and specific equipment use. Each day of inspection will include a detailed pre-job safety meeting to identify potential safety hazards which will be attended by LA DOTD and TRC staff who will be on-site. TRC has a proven safety track record of no lost workday injuries or reportable accidents while inspecting all types of bridges with

traffic control using multiple means of access throughout Louisiana and the U.S. This track-record and safety program provides you with the confidence that a team of professionals is safely executing the site visits while providing quality deliverables.

TASK 3. - Analysis and Load Rating Modeling & Analysis: A complete set of structural analysis and load rating calculations will be performed for all superstructure and substructure structural primary (secondary where appropriate) components as required by the current AASHTO MBE and LA DOTD BDEM to determine their respective inventory, operating, legal and emergency vehicle load ratings. Load rating schedules will be established at the project's outset that incorporate adequate time periods for TRC's performance of QA/QC reviews of calculations and reports, and ensure that resulting comments are addressed prior to delivery to the LA DOTD.


For each bridge, TRC will review the existing load rating, if available, and assess its potential for refinement to achieve more accurate results. This may include evaluating the assumptions made for the previous rating, current conditions of the bridge, material properties, and the previous analysis method that was used. After evaluation, we will explore alternative methods to update the existing load rating or perform the rating using a more refined method to prevent the need for a bridge closure. TRC will also be able to evaluate and identify critical repair items after performing the load rating and propose economical repair concepts (Schematic recommendations) to keep the bridge open or reduce posting restrictions in many cases and in other cases eliminate the Posting. Where LA DOTD has the need for updating existing rating files, TRC will conduct a thorough review and will update the files accordingly.

For cases when AASHTOWare BrR gives abnormal load rating results, TRC has demonstrated proficiency with the checking of intermediate results and validating all inputs, analyses and calculations to assure they were performed correctly. As we have

done on other LA DOTD load rating projects, we will engage the AASHTOWare BrR technical support team in the event of a possible software glitch or bugs in order to work out alternative ways to correctly perform a load rating. For structural systems/elements that AASHTOWare BrR cannot load rate accurately or results in an overly conservative result, TRC will perform the refined Finite Element Method analysis to accurately model the structural system, analyze dead load and live load effects, and further perform the load ratings outside of AASHTOWare BrR. For bridge members with localized section loss that become critical for load rating, TRC

may perform an in-depth analysis, using LA DOTD approved software, of the member capacity (if deemed necessary) to accurately account for the effects of section loss.

TRC brings extensive experience to this contract from **previous bridge load rating projects across Louisiana and the U.S.** that encompassed simple off-system to complex on-system structural



Model (midas Civil) of the flared steel girder spans developed for the LA 47 MGRO bridge.

configurations, including non-typical framing plans, non-typical boundary conditions, non-typical load paths, strut-and-tie models, pin-and-hanger details, girder splice details, metal grid decking, timber piles, movable bridge members, and segmental bridges. In cases where any of these non-typical details or configurations are present, TRC can effectively address the load rating using alternative approaches such as hand calculations outside BrR, as well as FE analysis for more refined capacity or load effects calculations. We have also employed permissible alternative methods such as the use of as-built plans of comparable bridges or applicable standard plans on local off-system bridges with no as-built plans nor known material properties to perform an acceptable load rating. For any bridges or structural elements that cannot be rated using BrR, influence lines will be provided for critical members, including substructures.

When use of the AASHTO LRFD and LRFR codes result in a bridge closure, employing the AISC Steel Construction Manual lateral-torsional buckling modification factor Cb instead of the AASHTO gradient modifier Cb can result in the achievement of a much higher capacity than the AASHTO LRFR method.

DELIVERABLES: The deliverables associated with the load rating scope of services will be **uploaded to the LA DOTD's AssetWise and ProjectWise systems.** Deliverables will consist of the following:

- electronic copy (pdf format) of all retrieved information used for the load rating;
- load rating report;
- current bridge condition, photographs, sketches, and site visit forms that identify all deteriorated or rehabilitated structural members.

Reports will include influence lines of pile bent caps and other structural members as needed, copies of all software model files used for load rating (such as AASHTOWare BrR, BrDR, midas Civil, STAAD, Bentley RM Bridge, and LUSAS models), a listing of all issues and recommendations to improve the existing ratings or keep the bridges open, and calculation files in an editable format for use by LA DOTD. If a closure or low posting (3 tons or less) is required, TRC staff will develop and include schematic recommendations for structural repairs to either keep the bridge open or re-open once repairs are made to improve/eliminate that posting. Each repair will be given a priority designation to ensure that all critical findings and defects are addressed as soon as possible. Temporary lane closures may be warranted to keep a structure open. A **drop log**, similar to the one TRC developed during a previous off-system load rating project, will track the needed file changes and status.

TASK 4. - Training: Through our extensive experience with load rating complex structures and our mastering of BrR and other software packages, we know that issues associated with obtaining accurate load rating results require a knowledge of addressing geometric irregularities and/or boundary condition irregularities of complex bridges. For example, we have **unique modeling experience with truss**



spans performed using AASHTOWare BrR that incorporated several new features within the latest version at the time the load rating was conducted. On another project, LA 47 over IWGO, complexities were encountered during the modeling of unique configurations of a tied arch which hangs from the flanking cantilever spans. To work with the new software features, as well as the modeling of framing complexities associated with the

tied arch, an extensive study was performed that included validation modeling of the final BrR model. TRC subsequently published a paper with LA DOTD on how all of the irregularities were integrated into BrR to achieve accurate load rating results and allowed the LA DOTD to use BrR for permit load rating analysis instead of having to use influence lines. It is this type of unique expertise that we will transfer to the LA DOTD's own Load Rating staff through a comprehensive training program.

Prior to development of the training, TRC will meet with LA DOTD to collaborate with the load rating group and identify training needs. We will then develop a scope and manhour estimate to execute a formalized curriculum. Our initial vision for this training will include hosting several sessions that include the development of practical load rating examples, with one being covered at each session. Tentative topics include:

(1), Load rating of truss spans; (2), Load rating of other special cases (unique beam section, post-tension beam, and segmental bridges); (3), Load rating of movable bridges (such as swing spans, bascule spans, and/or vertical lift spans); (4), Load rating of steel girder spans with irregular framing plan; (5), Load rating of steel bridges using 3D FEM model and development of influence lines; and (6), Load rating of bent cap, pin-and-hanger assembly, steel column and truss gusset plate. The load rating applications used in the training will be BrR, midas Civil, STAAD Pro, Bentley RM Bridge, MathCAD, or Excel spreadsheet as needed. For each session, a handbook will be prepared for each participant in the session.

Development of the training will be led by TRC's **Denny Dispennette**, **PE** who possesses over 11 years of experience focused on bridge load rating, in-service bridge safety inspections, hauling permit evaluation and bridge design. While employed with the WVDOH for five years, Denny performed QA/QC on load ratings, developed the load rating policy for West Virginia's load rating program, reviewed consultant load rating reports, and **taught classes on load rating to WV's State bridge engineers**. As a result, he is the ideal individual to spearhead the training of LA DOTD staff.

NOTE: TRC would welcome the opportunity to serve as the lead training consultant for all three contracts. In this role, we would coordinate with the other two contract teams to develop a combined comprehensive syllabus that would mitigate the potential for repetitive training which could occur if all three teams acted independently.

COMMITMENT TO QA/QC

A proven Quality Management Plan (QMP) with the full support of corporate management backs TRC's inspection, analysis/load rating, rehabilitation, and instrumentation services. Using the QMP as a foundation, we will issue a project-specific QA/QC Plan to the LA DOTD for review and approval within 10 days of award notification. For each Task Order, TRC will perform checks of the load ratings by either developing an independent set of calculations or performing a review of the assumptions and calculations. What is critical to the development of an accurate load rating is the assignment of technical assumptions, accurate identification of deteriorated/damaged members, and an analysis of boundary conditions assumed at the beginning of the process.

COMMITMENT TO SAFETY



TRC is committed to providing superior safety performance and is confident that our safety culture, management, and oversight will allow for a working environment that identifies and eliminates unsafe conditions. TRC employees complete the most up-to-date safety training

programs, including Louisiana "Safety Practices" and federal (OSHA) specific training requirements, and employ specific tracking mechanisms to ensure that all subcontractors (if used) have current health and safety training and certifications.

Firm(s) all firms must be represented in this table	Past Performance Evaluation Discipline(s) *	Contract Number and State Project Number	Project Name	Remaining Unpaid Balance**
	Bridge	44-17033 and H.005121.5	LA 1/LA 415 Connector	\$51,935
	Bridge 44-24185 and H.015424.5		IDIQ Contract for Bridge Preservation Task Order No. 1 – Plank Road	\$35,851
	Bridge	44-20156 and H.011965.6	LA 47 IWGO Bridge Rehabilitation CRES	\$150,780
	Road	44-21128 and H.001234.6	LA 1: Port Allen Canal Bridge Replacement (Phase 1)	\$17,144
	Road	44-21128 and H.001234.6	LA 1: Port Allen Canal Bridge Replacement (Phase 2)	\$172,877
	Bridge	44-2791 and H.009859.5	Bonnet Carre Spillway and Bayou Ramos Monitoring System Maintenance	\$19,749


DO NOT SUM

* The only past performance evaluation disciplines to be used are: Road, Bridge, Traffic, CE&I/OV, Geotech, Survey, Environmental, Data Collection, Planning, Right-of-Way, CPM, ITS, Appraiser and Other (please specify). If a firm has more than one past performance evaluation discipline for any single project, the firm can use multiple rows to express the remaining unpaid balance per evaluation discipline.

** Round to the nearest dollar. <u>**Do not**</u> round to the nearest thousands. If there are no active contracts with a remaining unpaid balance, please place N/A in the remaining unpaid balance column. Note: All firms must be represented in this table. Leaving the "remaining unpaid balance" column blank is not acceptable.

<> TRC

20. Certifications/Licenses:



Disclaimer

All information provided by LAPELS on this web page, and on its other web pages and internet sites, is made available to provide Altimitation provided by DarEs on this whet page, and on this other web pages and there was instance available to provide immediate access for the convenience of interested persons. While LAPELS believes the information provide mechanical error remains a possibility, as does, there is unrency or updating or updating of information. Neither LAPELS makes no guarantee as to the accuracy, completeness, timeliness, currency, or converting or updating or the information. Neither LAPELS, nor any of the sources of the information, shall be responsible for any errors or omissions, or for the use or results obtained from the use of this information. Dther specific cautionary notices may be included on other web pages maintained by LAPELS.

9643 Brookline Avenue, Suite 121 • Baton Rouge, Louisiana 70809-1433 • (225) 925-6291 • Fax (225) 925-6292 • www.lapels.com


9643 Brookline Avenue, Suite 121 • Baton Rouge, Louisiana 70809-1433 • (225) 925-6291 • Fax (225) 925-6292 • www.lapels.com

this information. Other specific cautionary notices may be included on other web pages maintained by LAPELS.

All information provided by LAPELS on this web page, and on its other web pages and internet sites, is made available to provide

immediate access for the convenience of interested persons. While LAPELS believes the information to be reliable, human or mechanical error remains a possibility, as does delay in the posting or updating of information. Therefore, LAPELS makes no guarantee as to the accuracy, completeness, timeliness, currency, or correct sequencing of the information. Neither LAPELS, nor any of the sources of the information, shall be responsible for any errors or omissions, or for the use or results obtained from the use of

20. Certifications/Licenses:



All information provided by LAPELs on this web page, and on its other web pages and internet sites, is made available to provide immediate access for the convenience of interested persons. While LAPELS believes the information to be reliable, human or mechanical error remains a possibility, as does delay in the posting or updating of information. Therefore, LAPELS makes no guarantee as to the accuracy, completences, timeliness, currency, or correct sequencing of the information. Nether LAPELS, no any of the sources of the information, shall be responsible for any errors or omissions, or for the use or results obtained from the use of this information. Other specific autionary notices may be included on other web pages maintained by LAPELS.


9643 Brookline Avenue, Suite 121 • Baton Rouge, Louisiana 70809-1433 • (225) 925-6291 • Fax (225) 925-6292 • www.lapels.com

9643 Brookline Avenue, Suite 121 • Baton Rouge, Louisiana 70809-1433 • (225) 925-6291 • Fax (225) 925-6227 • www.lapels.com

mechanical error remains a possibility, as does delay in the posting or updating of information. Therefore, LAPELS makes no guarantee as to the accuracy, completeness, timeliness, currency, or correct sequencing of the information. Neither LAPELS, nor any of the sources of the information, shall be responsible for any errors or omissions, or for the use or results obtained from the use of

this information. Other specific cautionary notices may be included on other web pages maintained by LAPELS.

20. Certifications/Licenses:




All information provided by LAPELS on this web page, and on its other web pages and internet sites, is made available to provide immediate access for the convenience of interested persons. While LAPELS believes the information to be reliable, human or mechanical error remains a possibility, as does delay in the posting or updating of information. Therefore, LAPELS makes no guarantee as to the accuracy, completeness, timeliness, currency, or correct sequencing of the information. Neither LAPELS, nor any of the sources of the information, shall be responsible for any errors or omissions, or for the use or results obtained from the use of this information. Other specific cautionary notices may be included on other web pages maintained by LAPELS.

9643 Brookline Avenue, Suite 121 • Baton Rouge, Louisiana 70809-1433 • (225) 925-6291 • Fax (225) 925-6227 • www.lapels.com

All information provided by LAPELS on this web page, and on its other web pages and internet sites, is made available to provide immediate access for the convenience of interested persons. While LAPELS believes the information to be reliable, human or mechanical error remains a possibility, as does delay in the posting or updating of information. Therefore, LAPELS makes no guarantee as to the accuracy, completeness, timeliness, currency, or correct sequencing of the information. Neither LAPELS, nor any of the sources of the information, shall be responsible for any errors or omissions, or for the use or results obtained from the use of this information. Other specific cautionary notices may be included on other web pages maintained by LAPELS.

9643 Brookline Avenue, Suite 121 * Baton Rouge, Louisiana 70809-1433 * (225) 925-6291 * Fax (225) 925-6292 * www.lapels.com

20. Certifications/Licenses:



9643 Brookline Avenue, Suite 121 * Baton Rouge, Louisiana 70809-1433 * (225) 925-6291 * Fax (225) 925-6227 * www.lapels.com

9643 Brookline Avenue, Suite 121 • Baton Rouge, Louisiana 70809-1433 • (225) 925-6291 • Fax (225) 925-6292 • www.lapels.com

TRC Engineers, Inc.

20. Certifications/Licenses:

LOUISIANA PROFESSIONAL ENGINEEI	RING AND LAND SURVEYING BOARD
As of 9/5/2023 the Louisiana Professional Eng	ineering and Land Surveying Board (LAPELS)
has the following information on file:	
Mrs. Amanda Carol Blankenship 8853 Quailwood Cove Cordova, Tennessee 38018	
Billy Billy	Expiration Date 09/30/2025 must be in "Active" status in order vide engineering is rule surveying vords "engineer", "engineering", any modification of derivative engineer in "Ratcive", or nengaging in the activities state of Louisiana to be licensed ervices.

Disclaimer All information provided by LAPELS on this web page, and on its other web pages and internet sites, is made available to provide immediate access for the convenience of interested persons. While LAPELS believes the information to be reliable, human or mechanical error remains a possibility, as does delay in the posting or updating of information. Therefore, LAPELS makes no guarantee as to the accuracy, completeness, timeliness, currency, or correct sequencing of the information. Neither LAPELS, nor any of the sources of the information, shall be responsible for any errors or omissions, or for the use or results obtained from the use of this information. Other specific cautionary notices may be included on other web pages maintained by LAPELS.

9643 Brookline Avenue, Suite 121 • Baton Rouge, Louisiana 70809-1433 • (225) 925-6291 • Fax (225) 925-6227 • www.lapels.com



21: QA/QC Plan and/or Work Plan:

N/A

22. Sub-consultant information:

Firm Name (name must match as registered with	Address	Point of Contact and email address	Phone Number
Louisiana's Secretary of State)			
N/A			

23. Location:

N/A