

SECTION 707 CURBS AND GUTTERS

MATERIAL		REFERENCE	PURP.	SAMPLED BY	MIN. FREQ.	MIN. QUANT.	CERT.	SMALL QUANTITY	TYPICAL HANDLING TIME	REMARKS	
		TESTED BY		METHOD		CONTAINER	DISTR.				
ASPHALTIC CURB		FOR DETAILS ON ADDITIVES, AGGREGATES, ASPHALT CEMENT, ASPHALTIC CONCRETE, ASPHALTIC TACK COAT, ASPHALT MIX RELEASE AGENT AND MINERAL FILLER, SEE SECTION 501 OR 502 OF THIS MANUAL.						-----	-----	No requirements for density and surface tolerance	
BACKFILL	Usable Soil	707.02 203.06(a) Proj. Engr.	Accept.	-----	-----	-----	-----	-----	-----	Visual inspection by Proj. Engr.	
CONCRETE (Class M)	Mix Designs, Materials & Tests	707.02	SEE SECTION 901 OF THIS MANUAL.								Air entrainment is required for slip forming.
CURING MATERIALS		707.02 1011.01 Mat. Lab	Accept.	SEE SECTION 601 OF THIS MANUAL.							
FORM RELEASE AGENT		707.02 1018.25 Mat. Lab	Accept.	Proj. Engr. S 601	1/lot	1 qt Plastic bottle	-----	-----	9 days	(QPL 29) Visual inspection by Proj. Engr.	
JOINT MATERIALS (Sealants, Filler, & Seals)		707.02 1005 Mat. Lab	Accept.	Proj. Engr. S 601	1/ 5000 lin ft*	36 in. length or 1 gal	-----	-----	17 days	*Visual inspection by Proj. Engr. Sample only if questionable.	
REINFORCEMENT	Tie Bars	1009.03 Mat. Lab*	Accept.	Proj. Engr. S 501	1/size/source	1 bar	-----	-----	10 days	(QPL 71) *Dist. Lab in Dist. 02. Visual inspection by Proj. Engr. Sample only if questionable.	

I-91

8/02