

SECTION 717 SEEDING

MATERIAL		REFERENCE	PURP.	SAMPLED BY	MIN. FREQ.	MIN. QUANT.	CERT.	SMALL QUANTITY	TYPICAL HANDLING TIME	REMARKS
		TESTED BY		METHOD		CONTAINER	DISTR.			
AGRICULTURAL LIME		717.02 1018.17 Mat. Lab	Accept.	SEE SECTION 718 OF THIS MANUAL.						
FERTILIZER		717.02 1018.16 Mat. Lab	Accept.	SEE SECTION 718 OF THIS MANUAL.						
SEED		1018.18 Proj. Engr.	Accept.	-----	-----	-----	-----	50 lb	-----	Analysis tag plus test report for LA Department of Agriculture. Seed test reports from other states are acceptable provided specification requirements are met. Consult Roadside Development Personnel for seed selection.
TOPSOIL		715 Dist. Lab	Accept.	Proj. Engr. S 401	1/1000 yd ³	1 full sample sack	-----	200 yd ³	10 days	-----
WATER		717.02 Mat. Lab	Accept.	Proj. Engr. S 303	1/source*	1 qt Plastic bottle	-----	-----	11 days	*Visual inspection by Proj. Engr. Sample only if questionable.

I-103

8/02