

State of Louisiana
Department of Transportation and Development

Qualified Products List 13

REFLECTIVE SHEETING

PRODUCT SOURCE CODE	COLOR & CODE NO.	PRODUCT	SOURCE	ADHESIVE CLASS	SOURCE ADHESIVE DESIGNATION
(A) PERMANENT SIGN SHEETING					
ASTM D4956 – TYPE III (SMM Material Code, 1015M00080)					
13CW 13CX 13CY 13CZ 13DA	White 3930 Yellow 3931 Green 3937 Blue 3935 Red 3932	3M High Intensity Prismatic	3M TSSD 3M Center St. Paul, MN 55144 <i>SMM: APS00001860</i>	Class 1 (Pressure Sensitive)	Regular Adhesive
13CD 13CE 13CG 13CH 13CI 13CJ	White T-5500A Yellow T-5501A Blue T-5505A Green T-5507A Red T-5508A Brown T-5509A	AVERY DENNISON T-5500A Series	Avery Dennison 7542 N. Natchez Avenue Niles, IL 60714-3804 <i>Produced at:</i> (Painesville, OH Facility) 250 Chester Street Building #7 Painesville, OH 44077 <i>SMM: APS00001970</i>	Class 1 (Pressure Sensitive)	Regular Adhesive
13BC 13BD 13BE 13BF 13BN	White T-6500 Yellow T-6501 Green T-6507 Blue T-6505 Red T-6508	AVERY DENNISON T-6500 Series	Avery Dennison <i>Produced at:</i> (Mt. Prospect, IL Facility) 902 Feehanville Drive Mt. Prospect, IL 60056 <i>SMM: APS00001980</i>	Class 1 (Pressure Sensitive)	Regular Adhesive

PRODUCT SOURCE CODE	COLOR & CODE NO.	PRODUCT	SOURCE	ADHESIVE CLASS	SOURCE ADHESIVE DESIGNATION
(A) PERMANENT SIGN SHEETING (continued)					
ASTM D4956 – TYPE III (continued) (SMM Material Code, 1015M00080)					
13AO 13BH 13BJ 13BK 13BL 13AN 13BV	Yellow N504 Red N505 Blue N506 Green N508 Brown N509 White CN512 White/Red CN515 (Prestriped Barricade Sheeting)	NIKKALITE ULTRALITE GRADE II (ULG II)	Nippon Carbide Ind. (USA) Inc. 12981 E. Florence Avenue Santa Fe Springs, CA 90670-4503 <i>SMM: APS00002000</i>	Class 1 (Pressure Sensitive)	High Tack Adhesive
13AK 13BG 13AL 13AM 13BI 13AJ	Yellow N804 Red N805 Blue N806 Green N808 Brown N809 White N812			Class 1 (Pressure Sensitive)	Regular Adhesive
13EK 13EM 13EO 13EN	White 94802 Yellow 94804 Blue 94806 Green 94808	Crystal Grade 94000 Series		Class 1 (Pressure Sensitive)	
13DO 13DP 13DQ 13DS 13DT 13DU	White 010 Yellow 020 Red 030 Blue 050 Green 060 Brown 080	5800 High Intensity Grade	Oracal USA 1100 Oracal Parkway Black Creek, GA 31308 <i>SMM: APS00011230</i>	Class 1 (Pressure Sensitive)	
ASTM D4956 – TYPE IX (SMM Material Code, 1015M00140)					
1396 1397 1398 1399 13AA	White 3990 Yellow 3991 Red 3992 Blue 3995 Green 3997	SCOTCHLITE	3M TSSD <i>SMM: APS00001860</i>	Class 1 (Pressure Sensitive)	

PRODUCT SOURCE CODE	COLOR & CODE NO.	PRODUCT	SOURCE	ADHESIVE CLASS	SOURCE ADHESIVE DESIGNATION
(A) PERMANENT SIGN SHEETING (continued)					
DOTD TYPE X					
<i>(SMM Material Code, 1015M00240)</i>					
13CW 13CX 13CY 13CZ 13DA 13DK	White 3930 Yellow 3931 Green 3937 Blue 3935 Red 3932 Brown 3939	3M High Intensity Prismatic	3M TSSD <i>SMM: APS00001860</i>	Class 1 (Pressure Sensitive)	
13DG 13DH	3921 Fl. Yellow 3923 Fl. Yellow-Green	3M Prismatic Fluorescent			
13CS 13CT 13CU 13DB 13DC 13DD 13DM	T-7500 White T-7501 Yellow T-7508 Red T-7505 Blue T-7507 Green T-7511 Fl. Yellow T-7513 Fluorescent Yellow-Green	T-7500 MVP Series	Avery Dennison (Mt. Prospect, IL Facility) <i>SMM: APS00001980</i>	Class 1 (Pressure Sensitive)	Regular Adhesive
13DL	Brown T-6509	T-6500 Series			
13CP 13CQ 13CR	White 92802 Yellow 92804 Red 92805	Crystal Grade 92800 Series	Nippon Carbide Ind. (USA) Inc. <i>SMM: APS00002000</i>	Class 1 (Pressure Sensitive)	Regular Adhesive
13DE 13DF	Blue 92806 Green 92808			Class 1 (Pressure Sensitive)	
13DV	Fluorescent Yellow-Green 92844			Class 1 (Pressure Sensitive)	
13EK 13EM 13EO 13EN	White 94802 Yellow 94804 Blue 94806 Green 94808	Crystal Grade 94000 Series		Class 1 (Pressure Sensitive)	

PRODUCT SOURCE CODE	COLOR & CODE NO.	PRODUCT	SOURCE	ADHESIVE CLASS	SOURCE ADHESIVE DESIGNATION
(B) SIGN SHEETING FOR TEMPORARY SIGNS, BARRICADES, AND CHANNELIZING DEVICES (Not for drums or other devices requiring reboundable sheeting)					
ASTM D4956 – TYPE III <i>(SMM Material Code, 1015M00245)</i>					
1372	White/Or 384 (Prestriped Barricade Sheeting)	SCOTCHLITE	3M TSSD <i>SMM: APS00001860</i>	Class 1 (Pressure Sensitive)	High Tack Adhesive
1373	White/Or 386 (Prestriped Barricade Sheeting)				
1379	White 3820				
1380	Yellow 3821				
1327	Orange 3824				
13CO	White/Or 334/336 (Prestriped Barricade Striping)	3M High Intensity Prismatic Barricade		Class 1 (Pressure Sensitive)	
13CV	Orange 3934	3M High Intensity Prismatic		Class 1 (Pressure Sensitive)	
13EF	White 3310	3M Flexible Prismatic Series 3300		Class 1 (Pressure Sensitive)	
13EG	Yellow 3313				
13EH	Orange 3314				
13EI	Wh/Or Barricade 3334R/3334L				
13EJ	Wh/Or Barricade 3336R/3336L				
13AH	Orange T-6504	AVERY DENNISON	Avery Dennison (Mt. Prospect Facility) <i>SMM: APS00001980</i>	Class 1 (Pressure Sensitive)	Regular Adhesive
13AI	White/Or W-6200 (Prestriped Barricade Striping)				

PRODUCT SOURCE CODE	COLOR & CODE NO.	PRODUCT	SOURCE	ADHESIVE CLASS	SOURCE ADHESIVE DESIGNATION
(B) SIGN SHEETING FOR TEMPORARY SIGNS, BARRICADES, AND CHANNELIZING DEVICES (continued) (Not for drums or other devices requiring reboundable sheeting)					
ASTM D4956 – TYPE III (continued) (SMM Material Code, 1015M00245)					
13CF	Orange T-5504A	AVERY DENNISON T-5504 Series	Avery Dennison (Painesville, OH Facility) <i>SMM: APS00001970</i>	Class 1 (Pressure Sensitive)	Regular Adhesive
1387 13AR 13AJ	White 812 Orange N807 White N812	NIKKALITE ULTRALITE GRADE II (ULG II)	Nippon Carbide Ind. (USA) Inc. <i>SMM: APS00002000</i>	Class 1 (Pressure Sensitive)	Regular Adhesive
13AS 13AN 13AT	Orange CN507 White CN512 White/Or CN517 (Prestriped Barricade Sheeting)			Class 1 (Pressure Sensitive)	High Tack Adhesive
13DY 13DZ	C85-1572 White C85-1772 Orange	Reflexite High Impact Channelizer Tape	ORAFOL Americas, Inc. 120 Darling Drive Avon, CT 06001 <i>SMM: APS00002010</i>	Class 1 (Pressure Sensitive)	
DOTD TYPE X (SMM Material Code, 1015M00085)					
13CN	Fluorescent Orange 3924S	3M Prismatic Work Zone	3M TSSD <i>SMM: APS00001860</i>	Class 1 (Pressure Sensitive)	Regular Adhesive
13CB	Fluorescent Orange W-7514	AVERY DENNISON	Avery Dennison (Mt. Prospect, IL Facility) <i>SMM: APS00001980</i>	Class 1 (Pressure Sensitive)	Regular Adhesive
13CA 13EK	Fluorescent Orange 92847 White 94802	Nikkalite Crystal Grade (CRG) Crystal Grade 94000 Series	Nippon Carbide Ind. (USA) Inc. <i>SMM: APS00002000</i>	Class 1 (Pressure Sensitive) Class 1 (Pressure Sensitive)	Regular Adhesive

PRODUCT SOURCE CODE	COLOR & CODE NO.	PRODUCT	SOURCE	ADHESIVE CLASS	SOURCE ADHESIVE DESIGNATION
(B) SIGN SHEETING FOR TEMPORARY SIGNS, BARRICADES, AND CHANNELIZING DEVICES (continued) (Not for drums or other devices requiring reboundable sheeting)					
DOTD TYPE X (continued) (SMM Material Code, 1015M00085)					
13EA	Fluorescent Orange 5930-038	Oralite High Intensity Prismatic Const. WZ Sheeting	ORAFOL Americas, Inc. SMM: APS00002010	Class 1 (Pressure Sensitive)	Regular Adhesive
(C) SIGN SHEETING FOR USE ON DRUMS OR OTHER DEVICES REQUIRING REBOUNDABLE SHEETING					
ASTM D4956 – TYPE III, REBOUNDABLE (SMM Material Code, 1015M00095)					
1394 1395	White 3810 Orange 3814	SCOTCHLITE	3M TSSD SMM: APS00001860	Class 1 (Pressure Sensitive)	Regular Adhesive
13CK	White 3910	3M Diamond Grade Flexible WZ		Class 1 (Pressure Sensitive)	
13EF 13EG 13EH	White 3310 Yellow 3313 Orange 3314	3M Flexible Prismatic Series 3300		Class 1 (Pressure Sensitive)	
13BW 13BX	White-6100 Orange-6104	WR-6100 Series	Avery Dennison (Mt. Prospect Facility) SMM: APS00001980	Class 1 (Pressure Sensitive)	
13DN	CS-512 White	Nikkalite Flexible ULG II	Nippon Carbide Ind. (USA) Inc. SMM: APS00002000	Class 1 (Pressure Sensitive)	
(D) SHEETING FOR USE AS ROLL-UP WARNING SIGNS					
ASTM D4956 – TYPE VI (SMM Material Code, 1015M00133)					
13CL	RS 24 Fluorescent Orange	3M Diamond Grade Roll-Up	3M TSSD SMM: APS00001860		
13BY	Orange 6014	WU-6014	Avery Dennison (Mt. Prospect, IL Facility) SMM: APS00001980		

PRODUCT SOURCE CODE	COLOR & CODE NO.	PRODUCT	SOURCE	ADHESIVE CLASS	SOURCE ADHESIVE DESIGNATION
(D) SHEETING FOR USE AS ROLL-UP WARNING SIGNS (continued)					
ASTM D4956 – TYPE VI (SMM Material Code, 1015M00133)					
13CC	Orange	Marathon High Performance	ORAFOL Americas, Inc. SMM:APS00002010		
13ED	White	Reflexite Vinyl Cone Collar			
13EE	Orange	Reflexite Original Roll-Up Sign			
(E) FLUORESCENT PINK SIGN SHEETING FOR INCIDENT MANAGEMENT					
(SMM Material Code, 1015M00270)					
DOTD Section 1015.05(b)					
13CM	RS 33 Fluorescent Pink	3M Vinyl Roll-Up Series RS 30	3M TSSD SMM: APS00001860		
13EL	Fluorescent Pink	Reflexite Superbright Roll-Up	ORAFOL Americas, Inc. SMM:APS00002010		
(F) SHEETING FOR USE AS TRAFFIC CONE COLLARS					
ASTM D4956 – TYPE III (SMM Material Code, 1015M00250)					
13DN	CS-512 White	Nikkalite Flexible ULG II	Nippon Carbide Ind. (USA) Inc. SMM: APS00002000	Class 1 (Pressure Sensitive)	
ASTM – TYPE VI (SMM Material Code, 1015M00255)					
13DW	White 3340	Flexible Prismatic Cone Sheeting	3M TSSD SMM: APS00001860	Class 1 (Pressure Sensitive)	Regular Adhesive
13ED	White	Reflexite Vinyl Cone Collar	ORAFOL Americas, Inc. SMM:APS00002010		

REFERENCE:

2006 DOTD Standard Specifications, Subsection 1015.05

NOTE:

All material, regardless of prior approval, shall be sampled in accordance with the Materials Sampling Manual and tested for conformance to the original specification. Any deviation in composition or performance from the original sample submitted may result in removal of the product from the qualified list.

No information contained in this list is to be used for promotional purposes.