

PILE & DRIVING EQUIPMENT DATA FORM

Rev. 06/19/2006

S.P. NO. _____	Date _____
Project: _____	Parish _____
Pile driving contractor/subcontractor: _____	

	Manufacturer _____ Model _____ Type _____ Serial No. _____ Rated Energy _____ at _____ length of stroke Modifications _____ _____ _____ _____ Note: Attach any hammer modification specifications. Manufacturer's hammer specifications may be required if hammer not found in LA DOTD database.
--	---

Striker Plate		Weight (kip) _____ Diameter (in) _____ Thickness (in) _____
---------------	--	--

Hammer Cushion		Cushion Material _____ Thickness (in) _____ Area (in ²) _____ Modulus of Elasticity -E (psi) _____ Coefficient of Restitution _____
----------------	--	--

Pile Cap		Helmet _____ Weight (kips) _____ Bonnet _____ Anvil Cap _____ Drivehead _____
----------	--	--

Pile Cushion		Cushion Material _____ Thickness (in) _____ Area (in ²) _____ Modulus of Elasticity -E (PSI) _____ Coefficient of Restitution _____
--------------	--	--

PILE		Pile Type: _____ Pile Size: _____ Total Length of Pile (ft): _____ Elastic Modulus (psi): _____ Ground Elevation: _____ Weight: _____ Design Pile Capacity: _____ Wall Thickness: _____ Taper: _____ Cross Sectional Area: _____ Tip Treatment Description: _____ _____ Description of Splice: _____ _____
------	--	---

LA DOTD Pavement & Geotechnical Design Section Cubical 501 U 1201 Capital Access Rd. Baton Rouge, LA 70804 Tel. No. (225)-379-1016 or (225)-379-1934 Fax No. (225)-379-1705	Note: Attach pile description for nonuniform cross-section piles. The strand layout, strand type, and concrete type, and concrete strength information will be required for P.P.C. piles	
	Note: Submit 30 days prior to pile driving to Project Engineer & to LADOTD Geotechnical Design Section	
	Contractor Contact Person: _____	Date: _____