

GEOTEXTILE FABRIC
DOTD Designation: S 614-99

General

A. Equipment

1. String for securing samples.
2. Suitable cutting devices for obtaining samples from rolls.
3. Miscellaneous items such as tape or string in order to secure samples by wrapping or tying.
4. DOTD inspection labels.
5. MATT forms and envelopes.

B. Safety Precautions

It is the responsibility of the user of this sampling method to establish appropriate safety practices including, but not limited to, heavy lifting.

II. Geotextile Fabric

A. Sampling at an approved warehouse (Louisiana Warehouse Only)

1. Warehouse Responsibilities:
 - a. Notify the District Laboratory in the district in which the warehouse is located and request sampling and testing for lot approval allowing adequate time for scheduling by the District Laboratory and testing by the Materials and Testing Section.
 - b. Separate the materials to be sampled according to manufacturer's production date as designated by the manufacturer's roll number marked on each individual roll. Each roll in a DOTD lot, not to exceed 100 rolls, shall have been manufactured within a 30 day period.
 - c. Provide access to enable the District Laboratory personnel to randomly select a representative roll.
 - d. Properly sample selected roll. As directed by District Lab.
 - e. As directed by the District Laboratory personnel, place a DOTD inspection label inside the core of each roll. The label shall include the DOTD lot number. Provide the District Laboratory Personnel with an itemized listing of all rolls within a DOTD lot indicating the individual roll numbers.
 - f. After approval of a DOTD lot of rolls, a Certificate of Delivery will accompany each shipment to the jobsite. Along with DOTD lot number, the individual roll numbers for each roll shipped shall also be listed on the Certificate of Delivery.
 - g. If the lot is not approved, void the DOTD lot number by marking through the number.
2. District Laboratory Responsibilities:
 - a. Identify each DOTD lot to be tested.
 - b. Randomly select one roll from each different DOTD lot.
 - c. Witness the warehouse personnel properly sample the material from the selected roll.

- d. Fold and secure sample with string.
 - e. Once the samples are taken, witness the warehouse personnel label each roll of that lot with the DOTD lot number (obtain labels for this purpose from the Materials and Testing Section). Obtain from the warehouse personnel an itemized listing of all rolls within the DOTD lot indicating the individual roll numbers.
 - f. Place the properly completed, unsoiled sample identification form along with the list of manufacturer's individual roll numbers represented by that lot in an envelope and securely attach the envelope to the sample. Forward the samples to the Materials and Testing Section for testing. The disposition of results will be reported by the Materials and Testing Section to the District Laboratory.
 - g. For any lot of material not conforming to specifications and receiving a failing report, return to the storage facility to ensure that the supplier of the material has voided the DOTD lot number.
3. Certificate of Delivery from the Warehouse:
Upon receiving approval and a passing laboratory number from the Materials and Testing Section, submit with each DOTD lot of approved material a Certificate of Delivery to the project engineer along with a copy to the Materials and Testing Section.

B. Sampling at Project Site: (When not accompanied with Certificate of Delivery indicating material was previously sampled at an in state warehouse and approved by the Materials and Testing Section or is questionable by a Project Engineer.)

- 1 Project Engineer Responsibilities:
- a. Sample in accordance with DOTD S 601.
 - b. Place a properly completed, unsoiled sample identification form in an envelope and securely attach the envelope to the sample. Forward the samples to the Materials and Testing Section for testing. The disposition of results will be reported by the Materials and Testing Section to the project personnel.

**CERTIFICATE OF DELIVERY
 FOR
 GEOTEXTILE FABRIC
 (QPL NO. 61)**

PROJECT NAME: _____ P.O. NUMBER: _____
 PROJECT NUMBER: _____ CONTRACTOR: _____

SOURCE: _____

PRODUCT NAME	PRODUCT SOURCE CODE	CLASS	MFR'S INDIVIDUAL ROLL NUMBERS	DOTD LOT NUMBER (ex. 61-GS-0001)	DOTD LAB NUMBER	QUANTITY square meter (sq yd)
			*see below			

*Product Description (List Individual Roll Numbers):

This is to certify that the materials listed above have been shipped to the referenced project. We certify that these materials have been previously tested by the Louisiana DOTD Materials and Testing Section under the above referenced laboratory numbers and have met all specifications requirements for the designated project. ***This certificate is invalid unless signed by an authorized representative of the company.***

COMPANY: _____

Date Shipped to Jobsite: _____ BY: _____
(Authorized Company Representative Signature)

Copies:
 One copy for each project will accompany all shipments of the above listed materials.
 One copy shall be mailed to the Materials Engineer Administrator, Louisiana Department of Transportation and Development, 5080 Florida Blvd., Baton Rouge, LA 70806.

FOR DOTD USE:

Approved: _____ Date: _____
 Remarks: _____

Shipments will be accepted only when accompanied by this DOTD Certificate of Delivery